



NCL INDUSTRIES LIMITED

CEMENT DIVISION

AN ISO 9001 : 2008 COMPANY

CIN : L33130TG1979PLC002521



NCL/QC/ 2019-20/298

Date: 16.05.2019

The Director (S),
Regional Office (south Eastern Zone),
Government of India,
Ministry of Environment & Forest and Climate Change,
1st 2nd Floor, HEPC Building, No.34, Cathedral Garden Road,
Nungambakkam, Chennai – 600034.

Dear Sir,

Sub: Submission of Six month Compliance Report of the Environment Clearance accorded to
M/s. NCL Industries Ltd, Simhapuri, Nalgonda (Dt), Telangana.

- Ref: 1. Expansion of Cement Plant Environment Clearance:
F. No: J- 11011/576/2008-IA II(I), Dated: 28.10.2016.
2. Cement Plant & Lime stone Environment Clearance:
F.No: J-11011/576/2008-IA II (I), Dated 15.12.2009.

We submit herewith the conditions wise Compliance Status Report for the above referred Environment Clearances accorded by the MoEF along with test reports of Ambient Air Quality, Fugitive Emission, Stack Monitoring and Noise levels, Water & Waste Water Analysis Reports and Ground Water Level Monitored by accredited third party laboratory M/s. Lawn Enviro Associates for the period **October to March 2019** for the kind information.

Thanking you,

Yours Faithfully,

For NCL INDUSTRIES LTD..


PRESIDENT (WORKS)

Encl: 1. Compliance Status Report of F. No: J- 11011/576/2008-IA 11(I), Dated: 28.10.2016.
along with Monthly Monitoring Reports.

2. Compliance Status Report of F. No: J- 11011/576/2008-IA 11(I), Dated: 15.12.2009.
along with Monthly Monitoring Reports.

- CC to : 1. Regional Directorate – Bangalore, CPCB Zonal Office, A-Block, Nisarga Bhavan,
1st and 2nd Floors, 7th D Cross, Thimmaiah Road, Shivanagar, BENGALURU – 560079.
2. The Environment Engineer, TSPCB Board, Regional Office, H.No.6-2-888/B, 2nd Floor,
Laxmi Complex, Near Clock Tower, NALGONDA – 508001.

Factory : Simhapuri, Mattapalli Village, Mattampalli Mandal, Suryapet Dist., -508 204, T.S.
Tel : 08683-227630, Fax: 08683-227629 E-mail : nclworks@nclind.com

4th Floor, Vaishnavi's Cynosure, Near Gachibowli Flyover, Gachibowli, Hyderabad -500 032. India.
Tel : 91-40-30120000, 29807868 / 69 Fax : 91-40-29807871, E-mail: ncl@nclind.com | www.nclind.com

NAGARJUNA CEMENT

NCL INDUSTRIES LIMITED :: SIMHAPURI
PLANT :: ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT
Six months Compliance Report for the period of OCTOBER TO MARCH 2019
Conditions Specified in EC Granted by MOEF
Vide Letter No: F. No: J- 11011/576/2008-IA 11(I) Dated:28th Oct 2016

A	SPECIFIC CONDITIONS	DETAILS OF FOLLOWUP ACTION
i)	The project proponent should install 24x7 air monitoring devices to monitor air emissions, as provided by the CPCB and submit report to Ministry and its Regional Office.	On-line stack monitoring equipments are installed in all major stacks ie; in all the three lines - Kiln, Cooler & Coal mill and Cement mills. Equipments connected and uploading data to website of CPCB & TSPCB. In addition to these, two CAAQM stations also installed and connected to CPCB & TSPCB. Details & Photos are enclosed. Annexure - I
ii)	The Standards issued by the Ministry vide G.S.R. No. 612 (E) dated 25 th August, 2014 and subsequent amendment dated 9 th May, 2016 and 10 th May, 2016 regarding cement plants with respect to particulate matter, SO ₂ and NO _x shall be followed.	Following the standards issued by the Ministry of MoEFCC and TSPCB. Standards limits are particulate matter – 30 mg/nm ³ , SO ₂ – 100 mg/nm ³ and NO _x – 800mg/nm ³ for rotary kiln with in line calciner (ILC) Technology.
iii)	Continuous stack monitoring facilities to monitor gaseous emissions from the process stacks shall be provided. After expansion, limit of PM shall be controlled to meet prescribed standards by installing adequate air pollution control viz Electrostatic precipitators to clinker cooler, bag house to raw mill/kiln and bag filters to coal mill and cement mill. Low NO _x burners shall be provided to control NO _x emissions. Regular calibration of the instruments must be ensured.	Continuous stack monitoring equipments were installed in all major stacks. SPM being controlled within the limits by installing following Pollution Control Equipments <ul style="list-style-type: none"> ➤ RABH for Kiln II /Raw Mill ➤ ESP for Coolers - I & II & III ➤ PJBH for Kiln I & Kiln III ➤ Bag Filters for Cement mills (Line I,II,III) ➤ Bag House for Coal mills I & II ➤ Bag Filters provided to for all material transfer lines & LS Crushers, fine coal bins and silos, pre-heater top de-dusting equipments, kiln feed extraction equipment & packing plants etc. The stack emission levels are within 30 mg/Nm ³ . Pollution Control Equipments Details enclosed Annexure – II
iv)	Efforts shall be made to achieve power consumption of 70 units/tonne for Portland Pozzolona Cement (PPC) and 95 units/tonne for	Efforts are made to reduce power consumption of cement and thermal energy consumption of clinker.

	Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/kg of clinker.	
v)	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 shall be followed.	Following the NAAQ standards for ambient air monitoring. The data collected are submitted to the Ministry's Regional Office at Bangalore, SPCB and CPCB regularly. Reports are enclosed Annexure -III
vi)	AAQ Modeling shall be carried out based on the specific mitigative measures taken in the existing project and proposed for the expansion project to keep the emissions well below prescribed standards.	Following the NAAQ standards for ambient air monitoring, emissions from all sources are controlled and maintained below the prescribed standards. Annexure -III
vii)	Secondary fugitive emissions shall be controlled and shall be within the prescribed limits and regularly monitored. Guide lines /code of practice issued by the CPCB in this regard shall be followed.	Secondary fugitive emissions from all the sources are controlled and the parameters are within the latest permissible limits. The Analysis Data was submitting regularly to CPCB & TSPCB Annexure -III
viii)	A statement on carbon budgeting including the quantum of equivalent CO ₂ being emitted by the existing plant operations, the amount of carbon sequestered annually by the existing green belt and the proposed green belt and the quantum of equivalent CO ₂ that will be emitted due to the proposed expansion shall be prepared by the project proponent and submitted to the Ministry and the Regional Office of the Ministry. This shall be prepared every year by the project proponent. The first such budget shall be prepared within a period of 6 months and subsequently it should be prepared every year.	Area of the cement plant is 48.12 ha. Out of this 34 % i.e., 16.36 ha have already brought under Greenbelt. In addition to this we have already taken up extensive plantation activity in the Mines area & Schools, colony and available vacant places. The survival of saplings is good. Requested Forest department to allocate land for plantation. Green Belt Details enclosed Annexure - VII
ix)	For the employees working in high temperature zones falling in the plant operation areas, the total shift duration would be 4 hrs or less per day where the temperature is more than 50 degrees centigrade. Moreover, the jobs of these employees will be alternated in such a way that no employee is subjected to working in high temperature area for more than 1 hr continuously. Such employees would be invariably provided with proper protective equipments, garments and	Following and PPE are providing to works as per the requirements, arranging RO water for drinking to prevent dehydration.

	gears such as head gear, clothing, gloves, eye protection etc. There should also be an arrangement for sufficient drinking water at site to prevent dehydration etc.	
x)	Arsenic and Mercury shall be monitored in emissions, ambient air and water.	Followed.
xi)	The coal yard shall be lined and covered.	Coal & Raw Material is stored in covered storage sheds. Photos are enclosed. Annexure – IV
xii)	The project proponent shall prepare a report on impact of project on surrounding reserve forests within six months and will get it approved from the State Forest Department. A copy of the same should be submitted to the Ministry and its Regional Office.	Forest Department Permission Letter: RC. No: 75/2017/S, Dated 27.11.2018 – Copy Enclosed Annexure - V
xiii)	The project proponent shall take all precautionary measures for conservation and protection of wild fauna found in the study area. A Wildlife Conservation Plan specific to this project site shall be prepared in consultation with the State Forest and Wildlife Department. A copy of the Conservation plan shall be submitted to the Ministry and its Regional Office.	
xiv)	The project proponent will also provide the latest status of the environmental compliances in respect of its existing plant.	Followed
xv)	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of conveyors/rail mode of transport wherever feasible. The company shall have separate truck parking area. Vehicular emissions shall be regularly monitored.	Efforts are made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. all the raw materials trucks are covered with a tarpaulin and are not overloaded, fly ash are transported in the closed containers only. Measures are taken for maintenance of vehicles used in mining operation. Vehicular emissions are kept under control and regularly monitored. Water sprinkling and dust suppression methods are adapted to control dust emission in the Plant Roads & Mines Roads are carried out. Annexure – VI
xvi)	Efforts shall be made to further reduce water consumption by using air cooled condensers. All the treated wastewater shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related	Efforts are made to reduce water consumption by using air cooled condensers. The STP out let Treated water used for Green belt development and Roads wetting purpose to control dust emissions. The process water is recycled and no process water

	activities etc. No process wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted.	is discharged outside the factory. Annexure –VI
xvii)	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	Rain water harvesting arrangement for the roof top collection and storm water with proper drainage and settling pits are made in the cement plant and the rain water is collected in the mine pit and this is helping to recharge the ground water. Annexure -VI
xviii)	Regular monitoring of influent and effluent surface, sub-surface and ground water shall be ensured and treated wastewater shall meet the norms prescribed by the State Pollution Control Board or described under the Environment [Protection] Act, 1986.	No process effluent water is generated in factory. We have STP in colony for treatment of Domestic effluent 250KLD. The treated water used for greenbelt development in factory & colony. The wastewater & treated water, drinking water analysis done by third party. The reports are submitting in SPCB regularly. Annexure –III&VI
xix)	All the bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process and used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers/reprocesses only.	All the bag filter dust, raw material dust, clinker dust & cement dust from pollution control devices are recycled & reused in the process and used for cement manufacturing. Sludge from domestic sources is used as manure for green belt development. Waste oil and batteries and e waste is stored and disposed to authorized recyclers / reprocesses.
xx)	The kiln shall be provided with a flexible fuel feeding system to enable use of hazardous wastes and other wastes including biomass, etc.	
xxi)	The proponent shall examine and prepare a plan for utilization of high calorific wastes such as chemical wastes, distillation residues, refuse derived fuels, etc as alternate fuels based on availability and composition. For this, the proponent shall identify suitable industries with such wastes and enter into an MOU for long-term utilization of such wastes as per the Environment (Protection) Rules, 1986 and with necessary approvals.	We are in the process of implementing The usage of High Calorific Hazardous waste, and CFO approval Obtained from State Pollution Board for utilization of pet coke. Amendment to CFO & HWA Order No: TSPCB/RCP/NLG/HO/CFO/2018 – 2563 Dated : 19.11.2018

xxii)	Efforts shall be made to use the high calorific hazardous waste in the cement kiln and necessary provision shall be made accordingly. The PP shall enter into an MOU with units with potential for generating hazardous waste and in accordance with Hazardous Waste Regulations and prior approval of the MPPCB.	
xxiii)	Green belt over 33% of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area and along road sides etc. by planting native and broad leaved species in consultation with local DFO, local community and as per the CPCB guidelines.	Area of the cement plant is 48.12 ha. Out of this 34 % i.e., 16.36 ha have already brought under Greenbelt. In addition to this we have already taken up extensive plantation in the Mines area & Schools, colony and available vacant places Requested Forest department to allocate land for plantation. In all three mines also taken up plantation in consultation with local DFO. The plantation work and survival are good. Green Belt Details enclosed. ANNEXURE – VII
xxiv)	The project proponent shall provide for solar light system for all common areas, street lights, villages, parking around project area and maintain the same regularly.	Followed Present Solar lighting arrangement made at Mining area. We are in the process of implementing at all the areas.
xxv)	The project proponent shall provide for LED lights in their offices and residential areas.	Followed Present LED Lights are used for all the Plant & outside areas.
xxvi)	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Cement plants shall be implemented.	All the recommendations made in the Charter on Corporate Responsibility for Environmental Protection (CREP) for the Cement Plants are implemented. 1. Primary health center was established in plant premises and providing ambulance service for 24hrs. 2. Arranging regular health checkup camps in nearby villages with free services. 3. Provided free education pre primary school to Jr College for employee children's and nearby villages. 4. Provided RO Plant for drinking water.
xxvii)	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues, locals need and item-wise details along with time	The commitments made during Public Hearing are implemented.

	bound action plan shall be prepared and submitted to the Ministry's Regional Office. Implementation of such program shall be ensured by constitution a Committee comprising of the proponent, representatives of village Panchayat and District Administration. Action taken report in this regard shall be submitted to the Ministry's Regional Office.	
xxviii)	In addition to the above provision of ESC, the proponent shall prepare a detailed CSR Plan for the next 5 years including annual physical and financial targets for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Skill Development and infrastructure etc) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net Profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the plan shall be submitted as part of the Compliance Report to RO. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.	<ol style="list-style-type: none"> 1. Company provided modern housing colony with all the facilities for employs & workers. 2. A separate budget is kept for the occupational health surveillance within and outside the campus in the nearby villages. We are conducting medical camps in the surrounding villages by arranging outside doctors and are providing medicines to the patients. Providing dispensary facility and in case of emergency we are providing ambulance facility to the villagers. 3. Free education is provided for employees' children & village peoples up to Jr College <p style="text-align: right;">Annexure -VIII</p>
xxix)	A Risk Assessment Study and Disaster Preparedness and Management Plan along with the mitigation measures shall be prepared with a focus of Disaster Prevention and a copy submitted to the Ministry's Regional Office, SPCB and CPCB within 3 months of issue of environment clearance letter.	Followed
xxx)	To educate the workers, all the work places where dust may cause a hazard shall be clearly indicated as a dust exposure area though the use of display signs which identifies the hazard and the associated health effects.	Followed
xxxii)	Provision shall be made for the housing of construction labor within the site with all	Followed

	necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Company was provided modern housing colony with all the facilities for employees & workers.
B	GENERAL CONDITIONS	DETAILS OF FOLLOWUP ACTION
i)	The project authorities must strictly adhere to the stipulations made by the Telangana Pollution Control Board and the State Government.	The stipulations made by TSPCB are adhered regularly.
ii)	No further expansion or modification of the plant shall be carried out prior approval of this Ministry of Environment, Forests and climate Change (MoEFCC)	Followed the guidelines of MoEFCC.
iii)	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this ministry including its Regional office at Chennai and the SPCB/CPCB once in six months	Followed The ambient air quality and noise levels are monitored regularly and the levels are within the limits. And the third party reports are submitting regularly to ministry including its Regional office at Chennai and the SPCB/CPCB once in six months regularly Reports Enclosed – Annexure III
iv)	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended form time to time. The treated wastewater shall be utilized for plantation purpose.	No process effluent water is generated in factory. We have STP in colony for treatment of Domestic effluent 250KLD. The treated water used for greenbelt development in factory & colony.
v)	The overall noise levels in and around the plant area shall be kept well within the standards (85dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz.75dBA (day time) & 70dBA (Night time).	The overall noise levels in and around the plant area is kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels are monitored at Five locations during day and night time the noise levels are within the limits. Reports Enclosed Annexure – III
vi)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the factories Act.	Occupational health surveillance (OHS) program is done on a regular basis & records are maintained as per the factories Act. Annexure - VIII
vii)	The company shall develop rain water harvesting structures to harvest the rain water for utilization	Rain water harvesting arrangement for the roof top collection and storm water with proper drainage

	in the lean season besides recharging the ground water table.	and settling pits are made in the cement plant and the rain water is collected in the mine pit and this is helping to recharge the ground water. Annexure -VI
viii)	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmers, educational programmers, drinking water supply and health care etc.	We are conducting medical camps in the surrounding villages by arranging outside doctors and are providing medicines to the patients. Providing dispensary facility and in case of emergency we are providing ambulance facility to the villagers. And supplying RO water for Drinking in the surrounding villages. Free education is provided for employee's children & village peoples up to Jr College. Annexure VIII
ix)	Requisite funds shall be embarked towards the total capital cost and recurring cost/annum for environmental pollution control measures to implement the conditions stipulated by the Ministry of environments, Forest and climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Chennai. The funds so provided shall not be diverted for any other purpose.	Followed The funds have been embarked towards the total capital cost & recurring cost/annum for environmental pollution control measures. The funds earmarked have not been diverted for any other purpose.
x)	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zillah Perished/ Municipal Corporation, Urban Local Body & the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearances letter shall also be put on the web site of the company by the proponent.	A copy of the EC was sent to Panchayat.
xi)	The project proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website & shall update the same periodically. It shall simultaneously be sent the Regional Office of MOEFCC at Chennai, The respective Zonal Office of CPCB & the SPCB. The criteria pollutant levels namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the	Uploaded the status of compliance of the stipulated EC conditions, including results of monitored data on their website & updating the same periodically. The monitored data has displayed at the main gate Annexure -IX

	projects shall be monitored & displayed at a convenient location near the main gate of the company in the public domain.	
xii)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both the copies as well as by e-mail) to the Regional Office of MOEFCC, the respective Zonal Office of CPCB. And the SPCB The Regional Office of this Ministry at Chennai / CPCB / SPCB shall monitor the stipulated conditions.	Submitting six monthly compliance reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both the copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB. The Regional Office of this Ministry at Chennai / CPCB / TSPCB shall monitor the stipulated conditions. Annexure – X
xiii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State PCB as prescribed under the Environmental (Protection) Act, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions & shall also be sent to the Regional Office of the MOEFCC at Chennai by e-mail.	Submitting Form V to TSPCB and also uploaded to company's web site. Annexure – XI
xiv)	The project proponent shall inform the public that project has been accorded environmental clearance by the Ministry & copies of the clearance letter are available with the SPCB and may also be seen at web site of the Ministry of environment, Forests and Climate Change (MoEFCC) at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local news papers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office.	News paper advertisement in two local news papers namely The Hindu & Andhra Jyothi and submitted the copy of same to MoEFCC, RO.
xv)	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	The date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work was informed to RO as well as the Ministry.



ANNEXURE I

NCL INDUSTRIES LIMITED: SIMHAPURI

On-line Continuous Stack Monitoring System (OCSEMS) and Continuous Ambient Air Quality Monitoring Systems (CAAQMS) Stations

S.No.	Stack attached	Type of Monitoring System (Emission / Effluent / CAAQMS)	Stack ID
1	Line-1 Kiln	Emission	NCL Industries Limited-Stack_1_Kiln_1
2	Line-1 Cooler	Emission	NCL Industries Limited-Stack_4_Cooler_1
3	Line-1 Cement Mills	Emission	NCL Industries Limited-Stack_9_Cement Mill_1
4	Line-1 Coal Mill	Emission	NCL Industries Limited-Stack_7_CoalMill_1
5	Line-2 Kiln	Emission	NCL Industries Limited-Stack_2_Kiln_2
6	Line-2 Cooler	Emission	NCL Industries Limited-Stack_5_Cooler_2
7	Line-2 Coal Mill	Emission	NCL Industries Limited-Stack_8_CoalMill_2
8	Line-2 Cement Mill	Emission	NCL Industries Limited-Stack_10_CementMill_2
9	Line-3 Kiln	Emission	NCL Industries Limited-Stack_3_Kiln_3
10	Line-3 Cooler	Emission	NCL Industries Limited-Stack_6_Cooler_3
11	Line-3 Cement Mill	Emission	NCL Industries Limited-Stack_11_Cement Mill_3
12	Colony	CAAQMS	NCL Industries Limited-CAAQMS_01_Colony
13	Cement Plant	CAAQMS	NCL Industries Limited-CAAQMS_02_CementPlant

TSPCB & CPCB OCEMS & AAQMS UPLOADING SITE

TSPCB - Ascent Intellimation Pvt. x | Not secure | 183.82.41.227:8080/enviroconnect/servlet/com.aipls.web.admin.AdminServlet

Welcome NCL Industries [Logout] [Change Password]

Home | Site Admin | Support | Help

NCL Industries Ltd., Cement Industry, NCL Stack -

Current Data

Sr. No	Parameter	Instantaneous as of	Instantaneous Value	Average as of	Average	Flag	Standard Limit
Line-1 Kiln							
1	SPM	19-10-2018 16:13:00	0.13 mg/Nm3	19-10-2018 11:07:00	0.13	0 - 30	mg/Nm3
2	SO2	19-10-2018 16:13:00	0 mg/Nm3	19-10-2018 11:07:00	0.00	0 - 100	mg/Nm3
3	NOx	19-10-2018 16:13:00	0 mg/Nm3	19-10-2018 11:07:00	0.00	0 - 800	mg/Nm3
Line-1 Cooler							
4	SPM	19-10-2018 16:13:00	0 mg/Nm3	19-10-2018 11:07:00	0.00	0 - 30	mg/Nm3
Line-1 Cement Mills							
5	SPM	19-10-2018 16:13:00	9.56 mg/Nm3	19-10-2018 11:07:00	8.27	0 - 30	mg/Nm3
Line-2 Kiln							
6	SPM	19-10-2018 16:13:00	16.54 mg/Nm3	19-10-2018 11:15:00	16.13	0 - 30	mg/Nm3
7	SO2	19-10-2018 16:13:00	27.68 mg/Nm3	19-10-2018 11:15:00	13.75	0 - 100	mg/Nm3
8	NOx	19-10-2018 16:13:00	479.79 mg/Nm3	19-10-2018 11:15:00	493.11	0 - 800	mg/Nm3
Line-2 Cooler							
9	SPM	19-10-2018 16:13:00	17.57 mg/Nm3	19-10-2018 11:15:00	17.59	0 - 30	mg/Nm3
Line-2 Coal Mill							
10	SPM	19-10-2018 16:13:00	17.96 mg/Nm3	19-10-2018 11:15:00	17.97	0 - 30	mg/Nm3
Line-2 Cement Mills							
11	SPM	19-10-2018 16:13:00	11.20 mg/Nm3	19-10-2018 11:15:00	22.14	0 - 30	mg/Nm3
Line-1 Coal Mill							
12	SPM	19-10-2018 16:13:00	10.88 mg/Nm3	16-10-2018 15:14:00	0.00	0 - 30	mg/Nm3
Line-3 Kiln							
13	SPM	19-10-2018 16:13:00	23.40 mg/Nm3	16-10-2018 15:22:00	0.00	0 - 30	mg/Nm3
14	SOx	19-10-2018 16:13:00	3.88 mg/Nm3	16-10-2018 15:22:00	0.00	0 - 100	mg/Nm3
15	NOx	19-10-2018 16:13:00	488.72 mg/Nm3	16-10-2018 15:22:00	0.00	0 - 800	mg/Nm3

Copyright © 2017 / Ascent Intellimation Pvt. Ltd., Pune All Rights Reserved. | About | Contact Us

16:17 19-10-2018

TSPCB - Ascent Intellimation Pvt. x | nksquare.realtimerepollution.in/IndustryDashBoard

Realtime Environmental Data Monitoring

NCL INDUSTRIES LIMITED (CEMENT)

NCL Industries Limited-Stack_2_Kiln-2

PM std:30.00 19 Oct 2018 16:17	SO2 std:100.00 19 Oct 2018 16:17	NOx std:800.00 19 Oct 2018 16:17
--------------------------------------	--	--

NCL Industries Limited-Stack_3_Kiln-3

PM std:30.00 19 Oct 2018 16:17	SO2 std:100.00 19 Oct 2018 16:17	NOx std:800.00 19 Oct 2018 16:17
--------------------------------------	--	--


NCL Industries Limited-Stack_4_Cooler-1

GRAPH | Export PNG | Select All


Powered By NKSquare Solutions | Data available at this portal is as per CPCB prescribed procedure published at cpcb.nic.in

16:20 19-10-2018

CAAQMS IN COLONY



Line 3 Kiln Stack SOx & NOx Analyzer



LINE-3 COOLER
STACK MONITOR

Annexure - II**NCL INDUSTRIES LIMITED: SIMHAPURI****Source of Pollution and Details of Air Pollution Control System**

S.No	Source of Pollution	Pollution Control Equipment Provided	Stack Height in Mts above GL
1	Attached to Kiln -1 & Raw Mill-1	Pulse Jet Bag Filter	110
2	Attached to Kiln -2 & Raw Mill-2	RABH	140
3	Attached to Kiln -3 & Raw Mill-3	Pulse Jet Bag Filter	130
4	Attached to Cooler-1	ESP	55
5	Attached to Cooler- 2	ESP	55
6	Attached to Cooler -3	ESP	55
7	Attached to Coal Mill-1	Bag Filter	30
8	Attached to Coal Mill-2	Bag Filter	50
9	Attached to Cement Mill-1	Bag Filter	30
10	Attached to Cement Mill-2	Bag Filter	39
11	Attached to Cement Mill-3	Bag Filter	55
12	Attached to Packer-1	Bag Filter	30
13	Attached to Packer-2	Bag Filter	30
14	Attached to Packer-3	Bag Filter	30
15	Attached to Lime Stone Crusher	Bag Filter	30
16	Attached to Blending Silo Top	Bag Filter	55
17	Attached to Pre heater Top	Bag Filter	116
18	Attached to 2875 KVA DG Set	Silencer	10
19	Attached to 300 KVA DG Set (Stand By)	Silencer	10

LIST OF Pollution Control Equipments & BAG FILTERS Details

S.No	Group	Application	Eqpt No.	Tag	Capacity m3/hr	No of Bags	Bag Size in Mtrs	Rated KW
LINE 1								
1	Kiln	Preheater Vent - Bucket Elevator TOP	TM	BF	10000	54	0.146 x 3.05	15
2		Kiln Feed Venting BF2 - TM1	TM1	BF2	10000	60	0.147X3.616	15
3		Preheater Bucket Elevator Bottom	TM1	BF1	6000	48	0.125X2.200	5.5
4	PJ B H	Pulse Jet Bag House	131	BH1	245000	1280	0.149X8.095	560
5	Cooler	ESP			255000	NA	NA	225
6	Coal Mill	Mill Bag Filter (Vent)	Big	BF1	25020	210	0.147X3.050	110
7		Hopper Bag Filter	Small	BF2	10000	90	0.147X3.050	
8		Coal Pumping	New	BF3	8000	60	0.149 x 3.660	15
9	Raw Mill 3	Vent Bag Filter		BF1	24240	90	0.146 x 3.050	55
10		Classifier Bag Filter		BF2	8180	60	0.146 x 3.05	15
11		Silo Top	TM1	BF	10000	60	0.146 x 3.05	15
12	Cement Mill	Mill Bag Filter			45000	540	0.146 x 3.05	160
13	Packing Plant	Packer			15000	125	0.125 x 2.8	22
LINE 2								
14	Line-2 Crusher	Vent bag filter	211	BF 1	35000	192	0.149 X 3.660	75
15		Discharge at 211BC5	211	BF2	20000	108	0.149 X 3.66	5.5
16		Discharge at 211BC4	211	BF3	6000	49	0.125X2.5	5.5
17	VRM	additive hoppers top	351	BF1	20000	120	0.150 X 3.6M	22
18		B/F at 351BC1	351	BF2	6000	49	0.150 X 3.6M	5.5
19		Recirculation bucket elevator	361	BF1	27500	168	0.150 X 3.6	37

20	VRM	Silo bucket elevator	371	BF1	16500	100	0.150 X 3.6	30
21	RABH	VRM Bag House	431	BH1	640000	1680	0.292 X 10.8	500
22	B.Silo & KILN FEED	Blending Silo TOP	412	BF1	11000	64	0.150 X 3.6	22
23		Blending Silo	422	BF1	5500	36	0.150 X 3.6	15
24	Pyro process	Pre heater top	422	BF2	8800	36	0.150 X 3.6	15
25		Clinker Silo Top	491	BF1	8000	36	0.150 X 3.6	11
26	Cooler	ESP Vent Fan	471	FN8	NA	NA	NA	200
27	Coal Mill	BH Top	482	BF2	8800	54	0.150 X 3.6	15
28		Vent B F screw conveyer	482	BF3	16500	54	0.150 X 3.6	15
29		Mill Bag House	462	BH1	145200	1320	0.150 X 3.6	550
30	C & CT	Clinker Extraction BC1, 2	511	BF1	3300	54	0.150 X 3.6	11
31	Cement Mill	Transfer tower BC3 & BC4	511	BF2	3300	54	0.150 X 3.6	5.5
32	Cement Mill	Dedusting Bag filter fan at hopper top	531	BF1	10000	36	0.150 X 3.6	11
33		Clinker Hopper Discharge top	531	BF2	5500	36	0.150 X 3.6	11
34		Venting feeder	561	BF3	3300	54	0.150 X 3.6	55
35		Separator vent	561	BF2	21300	168	0.150 X 3.6	250
36		Cement mill vent Bag Filter	561	BF1	45483	448	0.149 x 4.5	75
37		Dedusting Bag Filter Fan	561	BF4	11000	60	0.150 X 3.5	15
38		Fly ash Silo Top	591	BF5	1000	36	0.150 X 3.6	15
39		Fly ash Silo Discharge	591	BF6	5500	36	0.150 X 3.6	11
40		Packing Plant	Cement Silo Top	611	BF1	6600	36	0.150 X 3.6
41	Big Bag Filter		611	BF2	27500	168	0.150 X 3.6	37
42	Packer vent Bag Filter		611	BF3	16500	100	0.150 X 3.6	22
Line 3								
43	Kiln feed	Vent bag filter for bin feed	411	BF1	10000	76	0.149 x 3.665	15
44	Kiln feed	Vent bag filter for Kiln feed	411	BF2	14500	110	0.149 x 3.665	22

45		Vent bag filter for Kiln feed B/E hood,431 AS3	431	BF1	4000	30	0.149 x 3.665	7.5
46	Cooler	Vent bag filter for cooler discharge DPC	471	BF1	3500	30	0.149 x 3.665	5.5
47	Clinker transport	Vent bag filter for 491	491	BF1	18600	144	0.149 x 3.665	30
48		Vent bag filter for 491	491	BF2	17600	140	0.149 x 3.665	22
49		Vent bag filter for 491	491	BF3	7300	56	0.149 x 3.665	11
50		Vent bf for 491 DP4	491	BF4	7300	56	0.149 x 3.665	11
51		Vent bag filter for 491 BC1 discharge, 491 BC2	491	BF5	10500	80	0.149 x 3.665	15
52		Vent bag filter for 511 BC3 discharge hood,	491	BF6	6300	48	0.149 x 3.665	11
53		Vent bag filter for 511 BC3A discharge hood,	491	BF7	6300	48	0.149 x 3.665	11
54		Vent bag filter for 511 BC3B discharge hood,	491	BF8	10500	80	0.149 x 3.665	15
55	PJBF	Vent bag filter for PJBH dust extraction air slides and Hot meal bin, SFM	432	BF1	13400	100	0.149 x 3.665	22
56	Coal Dosing	Vent bag filter for fine coal bin L91 BI1	L91	BF1	3000	24	0.149 x 3.665	5.5
57		Vent bag filter for Fine coal bin L91 BI2	L91	BF2	3000	24	0.149 x 3.665	5.5
58	Cement grinding	Vent bag filter for Cement mill weigh feeders	531	BF1	9600	80	0.149 x 3.665	15
59		Vent bag filter for 531 BC2	531	BF2	5700	48	0.149 x 3.665	11
60		Vent bag filter for Cement mill hoppers	531	BF1A	17600	140	0.149 x 3.665	22
61		Vent bag filter for 521 BC1 feed point	521	BF1	3000	24	0.149 x 3.665	5.5
62		Vent bag filter for 521 BC1 disc. hood & 521 BC2 feed board	521	BF2	6000	48	0.149 x 3.665	11
63		Vent bag filter for cement mill re-circulation	571	BF1	8250	64	0.149 x 3.665	15
64		Vent bag filter for 591 AS	591	BF1	5000	40	0.149 x 3.665	7.5


65	Cement grinding	Cement mill vent BF	561	BF1	58000	448	0.149 x 4.565	110
66		Separator vent bag filter	581	BF1	27000	210	0.149 x 4.565	410
67	Cement silo	Vent bf for silo top	611	BF1	7500	64	0.149 x 3.665	11
68		Vent bag filter for collecting bin	611	BF2	3500	30	0.149 x 3.665	5.5
69	Packing Plant	Vent bag filter for bucket elevator & air slide	611	BF3	5000	40	0.149 x 3.665	5.5
70		Roto-Packer vent bf	641	BF1	34000	266	0.149 x 3.665	15
71		De-dusting bag filter	641	BF2	16000	140	0.149 x 3.665	45
72	Coal conveying	Vent bag filter for bin	482	BF2	5000	40	0.149 x 3.665	11
73		Vent bag filter	L91	BF3	8000	64	0.149 x 3.665	11
74	PJBH	Pulse Jet Bag filter for pre heater flue gases	432	BH1	490000	2560	0.160 x 8.0	800
75	Cooler	Cooler de-dusting	471	EP1	380000	NA	NA	200

BAG FILTERS ARE INSTALLED AT TRANSFER TOWERS





PRODUCTS STORAGE SILOS WITH BAG FILERS INSTALLED AT TOP

Line3 Clinker Silo




Line 3 ESP



LINE 3 Cement Silo



LINE 2 Fly Ash Silo



ANNEXURE - III
NCL INDUSTRIES LTD
CEMENT DIVISION MATTAPPALLY

AMBIENT AIR QUALITY DATA Oct to March 2019

Location	Near Security				Near Colony				Near Guest House				Near Time Office			
	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox
10.10.2018	66	23	12	19	50	14	6	16	55	17	5	18	61	19	14	22
25.10.2018	72	28	14	26	54	15	5	14	69	24	12	18	63	21	9	20
05.11.2018	70	26	8	23	56	19	10	17	53	15	7	21	63	22	12	25
20.11.2018	78	30	12	24	51	17	7	15	62	22	8	20	67	24	11	22
14.12.2018	66	24	13	26	50	14	6	15	55	18	8	18	60	20	9	21
28.12.2018	74	26	10	22	55	19	5	18	59	20	6	17	62	22	13	25
24.01.2019	71	28	30	26	60	21	7	16	56	18	8	19	64	24	11	23
09.01.2019	77	30	11	22	53	17	9	18	98	15	10	21	69	25	14	24
07.02.2019	72	27	10	17	65	23	7	20	51	17	9	19	67	25	13	22
22.02.2019	73	31	11	22	58	19	9	18	61	23	7	24	69	27	10	26
21.03.2019	76	33	12	25	63	22	8	20	54	17	5	15	66	25	9	22
05.03.2019	70	29	14	23	58	20	10	18	46	14	7	17	62	23	11	20
6 Months Avg	73	28	13	23	57	19	8	17	60	18	8	19	65	23	11	23



ANNEXURE - III
 NCL INDUSTRIES LTD
 CEMENT DIVISION MATTAPALLY
 FUGITIVE EMISSION DATA OCT to MARCH 2019

Location Direction	Coal Transport						Cement Mill Transport						VRM Silo Top						VRM Additive Feeding							
	Wind Ward Direction			LeeWard Direction			Wind Ward Direction			LeeWard Direction			Wind Ward Direction			LeeWard Direction			Wind Ward Direction			LeeWard Direction				
Parameter ($\mu\text{g}/\text{m}^3$)	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox	PM ₁₀	PM _{2.5}	SO ₂	Nox		
24.10.2018	72	22	9	21	80	32	12	25	70	24	8	20	23	57	16	9	19	67	23	11	22	64	20	7	24	20
25.10.2018																										
19.11.2018	69	26	8	19	76	30	10	23	63	22	12	18	26	69	26	14	26	70	27	13	24	58	17	10	22	66
26.12.2018																										
27.12.2018	67	24	11	22	74	27	13	26	56	20	7	16	22	71	26	8	19	78	30	11	21	62	23	9	18	70
23.01.2019																										
25.01.2019	72	27	12	20	79	31	15	24	58	22	12	20	24	63	23	7	23	72	28	13	18	67	26	8	23	72
21.02.2019																										
23.02.2019	75	29	10	23	82	34	14	26	60	21	12	21	21	60	21	12	21	73	26	10	19	62	23	6	21	69
20.03.2019																										
22.03.2019	77	31	14	25	86	37	12	22	68	26	8	19	23	76	32	11	23	76	32	11	23	62	23	6	21	69
6 Months Avg	72	27	11	22	80	32	13	24	62	22	10	18	23	64	22	9	20	73	28	12	21	63	22	8	22	70



ANNEXURE - III
NCL INDUSTRIES LTD
CEMENT DIVISION MATTAPALLY

STACK EMISSION DATA OCT to MARCH 2019

Stack Attached to process	Kiln - 1			Kiln - 2			Kiln - 3			Cooler -1	Cooler- 2	Cooler- 3	Cement mill -1	Cement mill -2	Cement mill -3	Packing Plant -1	Packing Plant -2	Packing Plant -3	Coal Mill -1	Coal Mill -2	Lime Stone Crusher -II
	SPM	So2	Nox	SPM	So2	Nox	SPM	So2	Nox												
26.10.2018				16	14	378															
27.10.2018							12	10	332		19	11	17	17	18	21	22	26	20	24	23
19.10.2018																			23		
20.11.2018																					
21.11.2018				18	12	389	15	8	354		23	13	20	19	23	17	19	21			25
28.12.2018											18			16		23	21			26	
29.12.2018				15	10	397	11	6	369			15	22	17	17	23	21	24	20	23	22
25.01.2019				19	13	376						26	26	15	15			21	24		
24.01.2019											20			18			26	18		25	24
14.01.2019							13	4	418		22	12									
22.02.2019														14		21	20		21	21	26
23.02.2019				17	11	383	10	3	398			10	22	18				23			
21.03.2019				15	9	398	7	5	382				11	9					24		
22.03.2019											15	12		13		18	22	20		15	23
6 Months Avg				17	12	387	11	6	376		20	12	20	16	17	21	20	23	22	22	24



ANNEXURE - III
NCL INDUSTRIES LTD
CEMENT DIVISION MATTAPALLY

NOISE LEVEL DATA OCT TO MARCH 2019

Location	Kiln 1		Kiln 2		Cement Mills -1		Cement Mills -2		Raw Mill 2	
	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time
26.10.2018	70	65	73	67	68	63	69	64	71	66
21.11.2018	69	64	71	66	67	62	70	65	72	67
29.12.2018	70	65	72	67	69	64	67	62	68	63
25.01.2019	73	68	74	69	71	66	70	65	67	62
23.02.2019	72	67	70	65	68	62	71	66	69	67
22.03.2019	71	66	69	64	67	61	70	65	73	68
6 Months Avg	71	66	72	66	68	63	70	65	70	66



ANNEXURE - III
NCL INDUSTRIES LTD
CEMENT DIVISION MATTAPALLY

STP Waste Water Analysis OCT to MARCH 2019

Sample Location	Before Treatment STP						After Treatment STP					
	pH	TDS	TSS	COD	BOD	Oil & Grease	pH	TDS	TSS	COD	BOD	Oil & Grease
26.10.2018	7.42	807	159	245	42	1.4	7.51	594	30	45	12	<1.0
21.11.2018	7.59	846	164	258	54	1.6	7.85	647	36	43	8	<1.0
29.12.2018	7.78	830	152	236	51	1.3	7.67	629	28	37	11	<1.0
25.01.2019	7.26	897	141	250	57	1.5	7.52	659	35	46	13	<1.0
23.02.2019	7.32	876	158	241	52	1.6	7.44	636	32	40	10	<1.0
22.03.2019	7.68	832	147	233	45	1.3	7.28	664	39	48	13	<1.0
6 Months Avg	7.51	848	154	244	50	1.5	7.55	638	33	43	11	<1.0





ISO 9001, 14001 & OHSAS 18001
CERTIFIED COMPANY

REF.NO: LAWN/NCL-C/2018

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

Date: 29-9-2018

WATER ANALYSIS

Name of the Industry & : **M/s. NCL INDUSTRIES LIMITED**
(Cement Division)
Address : Simhapuri, Mattapalli (V), Mattampally (M),
Suryapet (Dist – 508 204).

Sample Particulars : Drinking Water (RO Plant)
Date of Collection : 18-9-2018
Date of Analysis : 19-9-2018
PROTOCOL : IS – 3025 & A.P.H.A. 23rd Edition

		As per IS:10500 – 2012 Permissible Limit	
1. Color (Hazen units)		<1.0	15 max
2. Odour		Agreeable	Agreeable
3. pH at 25°C		7.56	6.5 – 8.5
4. Taste		Agreeable	Agreeable
5. Turbidity (NTU)		<0.10	05 max
6. Dissolved solids at 180°C		69	2000 max
7. Coliforms		Absent	Absent
8. Escherichia coli		Absent	Absent
9. Aluminium	as Al	<0.001	0.2 max
10. Ammonia	as N	Nil	0.5 max
11. Anionic surface active agents	as MBAS	ND	1.0 max
12. Barium	as Ba	<0.001	0.7 max
13. Boron	as B	<0.01	1.0 max
14. Calcium	as Ca	08	200 max
15. Chloramines	as (Cl ₂)	ND	4.0 max
16. Chlorides	as Cl	10	1000 max
17. Copper	as Cu	<0.001	1.5 max
18. Flourides	as F	0.13	1.5 max
19. Residual Chlorine		<0.04	1.0 max
20. Iron	as Fe	0.04	0.3 max
21. Magnesium	as Mg	1.45	100 max
22. Manganese	as Mn	<0.001	0.3 max

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : H.No.31-56-2/1, Ground Floor, Siman Nagar, Kurmannapalem, Visakhapatnam - 530046 (A.P.) INDIA. Tel : +91-9030029925

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & OHSAS 18001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi

TEST REPORT

:2:

23. Mineral Oil		: ND	0.5 max
24. Nitrates	as NO_3	: 0.80	45 max
25. Phenolics	as $\text{C}_6\text{H}_5\text{OH}$: <0.001	0.002 max
26. Selenium	as Se	: <0.001	0.01
27. Silver	as Ag	: <0.001	0.1 max
28. Sulphates	as SO_4	: 05	400 max
29. Sulphide	as H_2S	: <0.02	0.05 max
30. Total alkalinity	as CaCO_3	: 21	600 max
31. Total hardness	as CaCO_3	: 26	600 max
32. Zinc	as Zn	: <0.001	15 max
33. Cadmium	as Cd	: <0.001	0.003
34. Cyanide	as CN	: ND	0.05
35. Lead	as Pb	: <0.001	0.01
36. Mercury	as Hg	: <0.0005	0.001
37. Molybdenum	as Mo	: <0.001	0.07 max
38. Nickel	as Ni	: <0.001	0.02 max
39. Total Arsenic	as As	: <0.001	0.05 max
40. Total Chromium	as Cr	: <0.001	0.05 max

Note: 1. All the values except pH, Turbidity & Colour are expressed in mg/L.
2. The above water is suitable for drinking.
3. ND - Not Detected

AUTHORISED SIGNATORY



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]

Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

REF.NO: LAWN/NCL-C/2019

Date: 02-4-2019

WATER ANALYSIS

Name of the Industry & : **M/s. NCL INDUSTRIES LIMITED
(Cement Division)**
Address : Simhapuri, Mattapalli (V), Mattampally (M),
Suryapet (Dist - 508 204).

Sample Particulars : Drinking Water (RO Plant)
Date of Collection : 22-3-2019
Date of Analysis : 23-3-2019
PROTOCOL : IS - 3025 & A.P.H.A. 23rd Edition

		As per IS:10500 - 2012 Permissible Limit	
1. Color (Hazen units)		: <1.0	15 max
2. Odour		: Agreeable	Agreeable
3. pH at 25°C		: 7.56	6.5 - 8.5
4. Taste		: Agreeable	Agreeable
5. Turbidity (NTU)		: <0.10	05 max
6. Dissolved solids at 180°C		: 72	2000 max
7. Coliforms		: Absent	Absent
8. Escherichia coli		: Absent	Absent
9. Aluminium	as Al	: <0.001	0.2 max
10. Ammonia	as N	: Nil	0.5 max
11. Anionic surface active agents	as MBAS	: ND	1.0 max
12. Barium	as Ba	: <0.001	0.7 max
13. Boron	as B	: <0.01	1.0 max
14. Calcium	as Ca	: 09	200 max
15. Chloramines	as (Cl ₂)	: ND	4.0 max
16. Chlorides	as Cl	: 6.65	1000 max
17. Copper	as Cu	: <0.001	1.5 max
18. Flourides	as F	: 0.95	1.5 max
19. Residual Chlorine		: <0.04	1.0 max
20. Iron	as Fe	: 0.01	0.3 max
21. Magnesium	as Mg	: 1.25	100 max
22. Manganese	as Mn	: <0.001	0.3 max

Head Office : "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad - 500 038. (T.S.) INDIA. Tel : 040-66730925, 66730926, Fax : 040-66730926

Branch Office : MIG-119, D.No.31-58-150, VUDA Phase-7, Dwaraka Puri Colony, Kurmannapalem, Visakhapatnam - 530046. (A.P.) Tel : +91-9030029925

E-mail : lawnenviro@yahoo.co.in, Website : www.lawnenviro.com



ISO 9001, 14001 & 45001
CERTIFIED COMPANY

LAWN ENVIRO ASSOCIATES

[Engineers & Consultants in Pollution Control]


Recognised by Ministry of Environment Forest & Climate Change (MoEF & CC), GOI, New Delhi
& Laboratory Accredited by NABL

TEST REPORT

:2:

23. Mineral Oil		: ND	0.5 max
24. Nitrates	as NO ₃	: 0.68	45 max
25. Phenolics	as C ₆ H ₅ OH	: <0.001	0.002 max
26. Selenium	as Se	: <0.001	0.01
27. Silver	as Ag	: <0.001	0.1 max
28. Sulphates	as SO ₄	: 2.85	400 max
29. Sulphide	as H ₂ S	: <0.02	0.05 max
30. Total alkalinity	as CaCO ₃	: 17	600 max
31. Total hardness	as CaCO ₃	: 21	600 max
32. Zinc	as Zn	: <0.001	15 max
33. Cadmium	as Cd	: <0.001	0.003
34. Cyanide	as CN	: ND	0.05
35. Lead	as Pb	: <0.001	0.01
36. Mercury	as Hg	: <0.0005	0.001
37. Molybdenum	as Mo	: <0.001	0.07 max
38. Nickel	as Ni	: <0.001	0.02 max
39. Total Arsenic	as As	: <0.001	0.05 max
40. Total Chromium	as Cr	: <0.001	0.05 max

Note: 1. All the values except pH, Turbidity & Colour are expressed in mg/L.
2. The above water is suitable for drinking.
3. ND - Not Detected


AUTHORISED SIGNATORY

ANNEXURE -IV

RAW MATERIAL STORAGE SHEDS



COAL STORAGE SHEDS



FOREST DEPARTMENT PERMISSION LETTER

**GOVERNMENT OF TELANGANA
FOREST DEPARTMENT**

From:
Sri. G. Mukund Reddy, Dy.C.F.,
District Forest Officer,
Suryapet.

To:
The Managing Director,
M/s NCL Industries Ltd.,
Hyderabad.

RC.No.75/2017/S, Dt:27.11.2018

Sir,

Sub : TSFD - TSPCB - RO - NLG - Environmental Public Hearing (EPH) - M/s NCL Industries Ltd. has proposed for enhancement of Sulthanpur Thanda Lime stone Mine capacity from 0.05 MTPA to 1.0 MTPA located at Sy.No.540 (P), Pedaveedu (V), Mattampally (M), Suryapet District - Status report - Reg.

Ref: 1. NCL Industries Ltd., Ref.No.NCL/Forests Dept, Dt.01.09.2018.
2. NCL Industries Ltd., Ref.No.NCL/Forests Dept, Dt.26.11.2018.

With reference to the subject and reference cited above, the M/s NCL Industries Ltd., had requested for Status report for the proposal of enhancement of Sulthanpur Thanda Lime Stone Mine production capacity from 0.05 MTPA to 1.0 MTPA located in Sy.No.540 (P), of Pedaveedu (V), Mattampalli (M), Suryapet District in mine lease area of 42.83 Ha.

The undersigned had inspected the mining area together with Forest Range Officer, Huzurnagar 15th September, 2018. The plan submitted by M/s NCL Industries Ltd., showing the Mining Lease area (With GPS Readings) for Limestone Deposit in Sy.No.540 over an extent of Ac. 105.32 gts (42.83 Ha) in Pedaveedu Village, Mattampalli Mandal, Suryapet District (Erstwhile Nalgonda District), Duly approved by Tahasildar, Mattampally Mandal and Asst. Director of Mines & Geology, Miryalaguda has also been referred.

It is confirmed that:

1. The said location does not fall in the Forest Area, but the area is adjacent to the Reserve Forest about 170 meters and it should comply recent guidelines/ Circular from the MoEF.
2. There are no dispute issues with Forest Department but the waste material mainly the panel cut portions is being dumped along road side even in Reserve Forest areas which has to be removed and in future waste disposal to be in designated areas as per mine plan.
3. The area is completely preexisting mining area of NCL Industries Ltd., from 1996. Hence the green cover other conditions that are in mining plan to be properly implemented.
4. No perennial nallah or streams are seen within the area.
5. There are no endangered species of flora existing in the area and it has neither ecological nor economic importance and normal species of brushes and bushes are only seen.
6. No sanctuary and national parks does not exist within the above area.

Hence, it is inform that, there are no issues for enhancement of Sulthanpur Thanda Lime Stone Mine production capacity from 0.05 MTPA to 1.0 MTPA located in Sy.No.540 (P), of Pedaveedu (V), Mattampalli (M), Suryapet District in mine lease area of 42.83 Ha.


District Forest Officer,
Suryapet.

PRECURSORY MASSURS TAKEN FOR REDUCE WATER CONSUMPTION

RAIN WATER STORAGE IN MINESRAIN HARVESTING PITS



RO REJECT WATER STORING & USING FOR PLANTATION & ROAD WETTING




WATER DRIPPING ARRANGEMENT



SEWAGE TREATMENT PLANT (STP) IN COLONY



STP TREATED WATER USED FOR GREEN BELT DEVELOPMENT



Road wetting with water tanker at Mines Roads



ROAD ARE CLEANING WITH ROAD SWEEPING MACHINE



TRUCKS ARE COVERED WITH TARPAULIN & CLOSED CONTAINERS



Annexure -VII

Greenbelt Details

S.No	Description	Area Hectares	Area Acres	% Green Belt
1	Plant Built up Area	12	29.65	
2	Colony	8	19.77	
3	Green Belt	16.36	40.43	34%
4	Roads	11.76	29.05	
	Total Plant & Colony Area	48.12	118.90	

Status of Green Belt in Detailed

S.No	Location	Area (Acres)
1	Back Side of NCL Guest House	2.20
2	At NCL High School	5.24
3	Around the Factory	13.22
4	In side Factory Boundary	12.53
5	New Colony	7.24
	Total Area of Green Belt	40.43

Green Belt at Colony & Plant










Primary Health Center




NCL High SCHOOL at Mattapally



Annexure - IX

THE MONITORED DATA HAS DISPLAYED AT THE MAIN GATE



Annexure -X

Submission letter of EC – Compliance Reports for the Period of April to September 2018



NCL INDUSTRIES LIMITED
CEMENT DIVISION



AN ISO 9001 : 2008 COMPANY
CIN : L33130TG1979PLC002521

NCL/QC/ 667

Date: 30.11.2018

Scientist 'D',
Regional Office (south Eastern Zone),
Government of India,
Ministry of Environment & Forest and Climate Change,
1st 2nd Floor, HEPC Building, No.34, Cathedral Garden Road,
Nungambakkam, Chennai – 600034.

Dear Sir,

Sub: Submission of Six month Compliance Report of the Environment Clearance accorded to
M/s. NCL Industries Ltd, Simhapuri, Nalgonda (Dt), Telangana.

Ref: 1. Expansion of Cement Plant Environment Clearance:
F. No: J- 11011/576/2008-IA II(I), Dated: 28.10.2016.
2. Cement Plant & Lime stone Environment Clearance:
F.No: J-11011/576/2008-IA II (I), Dated 15.12.2009.

We submit herewith the conditions wise Compliance Status Report for the above referred
Environment Clearance accorded by the MoEF along with test reports of Ambient Air Quality,
Stack monitoring and Noise levels reports monitored by accredited third party laboratory M/s.
Lawn Enviro Associates for the period April to September 2018 for the kind information.

Thanking you,

Yours Faithfully,

For NCL INDUSTRIES LTD.

S. Chandra

PRESIDENT (WORKS)



Encl: 1. Compliance Status Report of F. No: J- 11011/576/2008-IA 11(I), Dated: 28.10.2016.
along with Monthly Monitoring Reports.
2. Compliance Status Report of F. No: J- 11011/576/2008-IA 11(I), Dated: 15.12.2016.
along with Monthly Monitoring Reports.

CC to : 1. Regional Directorate – Bangalore, CPCB Zonal Office, A-Block, Nisarga Bhavan,
1st and 2nd Floors, 7th D Cross, Thimmaiah Road, Shivanagar, BENGALURU – 560079.
2. The Environment Engineer, TSPCB Board, Regional Office, H.No.6-2-888/B, 2nd Floor,
Laxmi Complex, Near Clock Tower, NALGONDA – 508001.

Factory : Simhapuri, Mattapalli Village, Mattampalli Mandal, Suryapet Dist., -508 204, T.S.
Tel : 08683-227630, Fax: 08683-227629 E-mail : nclworks@nclind.com

4th Floor, Vaishnavi's Cynosure, Near Gachibowli Flyover, Gachibowli, Hyderabad -500 032. India.
Tel : 91-40-30120000, 29807868 / 69 Fax : 91-40-29807871, E-mail: ncl@nclind.com | www.nclind.com

NAGARJUNA CEMENT

8SUBMISSION LETTER OF ENVIRONMENT STATEMENT AUDIT REPORT - FORM V FOR 2017-18



NCL INDUSTRIES LIMITED
CEMENT DIVISION



AN ISO 9001 : 2008 COMPANY
CIN : L33130TG1979PLC002521

// REGISTERED POST A/D//

NCL/ QC/2018-19/ S16

DT: 29.09.2018

To

The Member Secretary,
TSPC Board,
Paryavaran Bhavan,
A-3, Industrial Estate,
Sanathnagar,
HYDERABAD – 500 018.

Sub: Submission of Environmental Statement Audit Report Form – V for the Year 2017 -18.
Ref: Consent Order No: - TSPCB/NLG/HO/CFO/2018 - 4061; Dated: 07/03/2018

Dear Sir,

This is reference to the above cited subject, we are here with submitting three copies of environmental statement Audit Form –V for the year 2017- 2018.
Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully,

For NCL INDUSTRIES LIMITED



S. CHAKRADHAR
PRESIDENT WORKS

Encl: As above.

o/c Copy to: The Environmental Engineer, TSPC Board, Regional Office,
H.No.8-15,1st Floor, Sri Laxmi Complex,Near RTA office,
Sri Vinayak Nagar,NALGONDA 508 201, TELANGANA.

Factory : Simhapuri, Mattapalli Village, Mattampalli Mandal, Suryapet Dist.,-508 204, T.S.
Tel : 08683-227630, Fax: 08683-227629 E-mail : nclworks@nclind.com

4th Floor, Vaishnavi's Cynosure, Near Gachibowli Flyover, Gachibowli, Hyderabad -500 032. India.
Tel : 91-40-30120000, 29807868 / 69 Fax : 91-40-29807871, E-mail: ncl@nclind.com | www.nclind.com

NAGARJUNA CEMENT

Plant View



NCL INDUSTRIES LIMITED :: SIMHAPURI

PLANT AND MINES :: ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

Half Yearly EC Compliance Report for the period of October to March 2019

MOEF Vide Letter No: Ref: F. No. J-11011/576/2008-IA II (I), Dated 15.12. 2009

A	SPECIFIC CONDITIONS	COMPLIANCE STATUS
i)	<p>No construction work at the proposed project site shall be started without obtaining prior Clearances/approvals for the linked mining component from the Indian Bureau of Mines (IBM) and State Govt. of Telangana.</p> <p>A copy of all the mining lease approvals from IBM & State Govt. of Telangana shall be submitted to the Ministry & Regional Office at Bangalore initiating work at site related to mining.</p>	<p>No construction work at the proposed project site was started without obtaining prior Clearances/approvals from the Indian Bureau of Mines (IBM) and State Govt.</p> <p>Obtained permission for three mines</p> <ol style="list-style-type: none"> i. Mattapalli Lime Stone Mines G.O No 65 valid up to 13.10.2030, ii. Gundlapally Lime stone Mines G.O No 64 valid up to 21.10.2040, iii. Sulthanpur Thanda Lime stone Mines GO No 63 valid up to 28.10.2046. <p>A copy of all the mining lease approvals from IBM & State Govt. were submitted to the Ministry & Regional Office at Bangalore before initiating work at site related to mining. ANNEXURE -I</p>
ii)	<p>No construction work at the proposed project site shall be started without obtaining prior Clearances/approvals under the Forest (Conservation) Act, 1980 & subsequent amendments.</p>	<p>No further expansion or modification will be carried out without prior clearances/approvals under the Forest (Conservation) Act, 1980 & subsequent amendments.</p>
iii)	<p>Possibilities shall be explored for the proper & full utilization of gases generated from the kiln in waste heat recovery boiler (WHRB) & a feasibility report shall be prepared & submitted to the Ministry & its Regional Office at Bangalore within 3 months from the date of issue of the letter.</p>	<p>We are in the process of implementing 8WM WHRB to utilize gases generated from Kiln & Cooler. Technical feasibility is submitted by supplier. We are in the process of applying for CFE; Works will be started after obtaining permissions form TSPCB.</p>
iv)	<p>Continuous monitoring system to monitor gaseous emissions shall be provided & limit of SPM shall be controlled within 50 mg/Nm³ by installing adequate air pollution control system. Electrostatic Precipitator (ESPs) / Bag house shall be provided to Clinker cooler, Kiln and pre-heater waste gas equipment to control gaseous emissions with in 50 mg/Nm³. Bag filters shall be provided to raw mill, coal mill, cement mill, LS Crushers, fine coal bins and silos, pre-heater top deducting equipments, kiln feed extraction equipment & packing plant etc. The data collected shall be submitted to the Ministry's Regional Office at Bangalore, APPCB and CPCB regularly.</p>	<p>Continuous monitoring Systems and equipments are installed in all major stacks ie; in all the three lines - Kiln, Cooler & Coal mill and cement mills. Equipments connected and uploading data to website of CPCB & TSPCB. In addition to these, two CAAQM stations also installed and connected to CPCB & TSPCB</p> <p>The data SPM being controlled within the limits by installing following Pollution Control Equipments</p> <ul style="list-style-type: none"> ➤ RABH for Kiln II /Raw Mill ➤ ESPs for Coolers - I & II & III ➤ PJBH for Kiln I & Kiln III ➤ Bag Filters for Cement mills (Line I,II,III) ➤ Bag House for Coal mills I & II

		<p>Bag Filters provided to for all material transfer lines & LS Crushers, fine coal bins and silos, pre-heater top deducting equipments, kiln feed extraction equipment & packing plants etc.</p> <p>The stack emission levels are within 30 mg/Nm³.</p> <p style="text-align: right;">ANNEXURE - II</p>
v)	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R.No.826 (E) Dt. 16-11-2009 shall be followed.	<p>Following the NAAQ standards for ambient air monitoring. The data collected are submitted to the Ministry's Regional Office at Bangalore, TSPCB and CPCB regularly.</p> <p>The third party monitored reports are enclosed</p> <p style="text-align: right;">ANNEXURE-X</p>
vi)	Ambient Air Monitoring shall be carried out in the nearby villages & efforts shall be made to control & minimize the particulate matters to bare minimum. The company shall install adequate dust collection & extraction system to control fugitive dust emissions at various transfer points, raw mill handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. Crusher shall be operated with high efficiency bag filters. All conveyors shall be covered with GI sheets. Covered sheds for storage of materials shall be provided besides coal, cement, fly ash & Clinker shall be stored in silos. Pneumatic system shall be used for fly ash handling.	<p>Ambient Air Monitoring carried out in the nearby villages. Efforts are made to control & minimize the particulate matters to bare minimum. The company has installed adequate dust collection & extraction system like Bag filters & Air slides to control fugitive dust emissions at various transfer points, raw material handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. Crusher is operated with high efficiency bag filters and water spray system is provided at crusher dump hopper to control fugitive emissions. All conveyors are covered with GI sheets. Covered sheds for storage of materials are provided besides coal, cement, fly ash & Clinker is stored in silos. Pneumatic system is used for fly ash handling. Regular cleaning and water spraying is done to control the dust fugitive emission due to vehicular movement etc.</p> <p>The third party monitored reports are enclosed</p> <p style="text-align: right;">ANNEXURE-X</p>
vii)	Regular water sprinkling shall be carried out in critical areas prone to air pollution & having high levels of SPM & RPM particularly in mine area & other vulnerable areas. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the CPCB in this regard.	<p>Regular water sprinkling is carried out using water tankers in critical areas prone to air pollution & having high levels of SPM & RSPM particularly in mine area & other vulnerable areas and the levels are within the limits of norms prescribed by CPCB.</p> <p style="text-align: right;">ANNEXURE - III</p>
viii)	Asphalting / concreting of roads, water sprinkling and dust suppression methods shall be adopted to control dust emission.	<p>Asphalting / concreting of roads, water sprinkling and dust suppression methods are adopted to control dust emission in the cement plant area are carried out.</p> <p style="text-align: right;">ANNEXURE - III</p>
ix)	Secondary fugitive emission from all the sources shall be controlled within the latest permissible limits issued by the Ministry & regularly Monitored. Guidelines / Code of Practice issued by the CPCB shall be followed & data submitted to Ministry's Regional Office at Bangalore, CPCB and TSPCB.	<p>Secondary fugitive emission from all the sources is controlled and levels are within the latest permissible limits issued by the Ministry The monitored data are submitted to Ministry's Regional Office.</p> <p>The secondary fugitive emissions are in control and within the prescribed limits as per the Guide lines /code of practice issued by the CPCB.</p>

		<p>Secondary fugitive emissions are being controlled by adopting the following techniques.</p> <p>a) Storing the raw materials and products in closed sheds.</p> <p>b) Regular water sprinkling is carried out on road.</p> <p>Road sweeping machines are being used for cleaning of roads regularly. ANNEXURE-III</p>
x)	Asphalting/ concreting of boards and water spray all around the critical areas prone to air pollution and having high levels of SPM & RPM shall be ensured.	Asphalting / concreting of roads, water sprinkling and dust suppression methods are adopted to control dust emission at all around the critical areas prone to air pollution and having high levels of SPM & RPM in the cement plant area are carried out. ANNEXURE – III
xi)	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. All the raw materials including fly ash shall be transported in the closed containers only covered with a tarpaulin and shall not be overloaded. Measures shall be taken for maintenance of vehicles used in mining operation of mineral. Vehicular emissions shall be kept under control and regularly monitored.	Efforts are made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. All the raw materials including fly ash are transported in the closed containers only covered with a tarpaulin and are not generally overloaded. Measures are taken for maintenance of vehicles used in mining operation of mineral. Vehicular emissions are kept under control and regularly monitored. ANNEXURE – III
xii)	Digital processing of the entire lease area using remote sensing technique shall be done regularly once in three years for monitoring land use pattern & report submitted to MOE&F Regional Office, Bangalore.	We are in the process of getting digital processing of the entire mine lease area.
xiii)	Total water from River Krishna shall not exceed 670 Cu.m/day as per the permission accorded by the concerned department. No ground water shall be used as proposed. The water stored in the artificial reservoir made in the mine pit shall be used maximum to reduce ground water consumption. No effluent shall be discharged from the mine to any water or nearby river. All the treated waste water from the work shop of mines shall be treated for oil & grease removal. Treated waste water shall be used in the process and/or for dust suppression, green belt development & other plant related activities etc. No process waste water shall be discharged outside the factory premises and zero' discharge shall be adopted.	<p>Total water consumption from River Krishna has not been exceeded 900 Cu.m/day as per the CFO & HWA Order No: TSPCB/RCP/NCL/HO/CFO/2018- 2563. Dated 19.11.2018.</p> <p>We have permission accorded by the concerned department (4275 KLD). ANNEXURE – IV</p> <p>No ground water is used as proposed. The rain water is collected and stored in the mine pit which is helping to recharge the ground water. No effluent is discharged from the mine to any water or nearby river. All the treated waste water from the work shop of mines is treated for oil & grease removal. Treated waste water is used in the process and as well as for dust suppression, green belt development & other plant related activities etc. No process waste water is discharged outside the factory premises and zero discharge is being followed.</p>

xiv)	Detailed hydrological study shall be carried out and implementation of recommendations of the detailed hydrological study shall be ensured.	Carried out detailed hydrological study, and implemented the recommendations.
xv)	Domestic waste water shall be treated in sewage treatment plant (STP) and treated domestic effluent shall be used for green belt development within the plant premises. Domestic waste from colony and STP shall be segregated into bio-degradable and non-bio degradable. Bio-degradable waste shall be composted & non-bio degradable waste shall be land filled at identified sites. ETP shall also be provided for workshop and mineral separation plant waste water.	Domestic waste water is treated in sewage treatment plant (STP) of 250 KLD capacity and treated sewage is used for green belt development within the cement plant premises. Domestic solid waste from colony and STP are segregated into bio-degradable and non-bio degradable. Bio-degradable waste is composted & non-bio degradable waste is put into identified site of land filled area. There is no effluent generation in the process. The third party monitored reports are enclosed ANNEXURE-X
xvi)	The project proponent shall ensure that no natural water course shall be obstructed due to any mining operations.	No natural water course is in the mining lease areas are obstructed due to any mining operations.
xvii)	Catch drains & siltation ponds of appropriate size shall be constructed for the working pit, inter burden and mineral dumps to arrest flow or silt & sediment. The water so collected shall be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desalted, particularly after monsoon, and maintained properly.	There are no overburden and mineral dumps in the mining lease area. However, we have made bund above the mine pit.
xviii)	Garland drain of appropriate size, gradient & length shall be constructed for both mine pit & inter burden dumps and sump capacity shall be designed keeping 50% safety margin over & above peak sudden rainfall (based on 50 years data) & maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper setting of silt material. Sedimentation pits shall be constructed at the comers of the garland drains & desilted at regular intervals.	There are no overburden and mineral dumps in the mining lease area and hence it is not applicable.
xix)	Regular monitoring of ground water level & quality shall be carried out by establishing a network of existing wells & constructing new piezometers at suitable locations by the project proponent in and around project area in consultation with Regional Director, Central Ground Water Board. The frequency of monitoring shall be four times a year-pre-monsoon (April/May), monsoon(August), post-monsoon (November), and winter (January). Data thus collected shall be sent at regular intervals to MOE&F and its Regional Office at Bangalore, Central Ground Water Authority & State Ground Water Board.	Regular monitoring of ground water level & quality are carried out in consultation with Regional Director, Central Ground Water Board, through external approved laboratory manually on monthly basis and the monitored data are sent to MOE&F, RO Chennai. Piezometers are not used presently and for that the procurement process is under progress Analysis Reports Enclosed – ANNEXURE-X
xx)	Dimension of the retaining wall at the toe of inter burden benches within the mine to check run-off and siltation shall be based on the rain fall data.	There are no overburden and mineral dumps in the mining lease area.
xxi)	Suitable conservation measures to augment ground water resources in the area shall be planned and implemented in consultation with Regional Director, Central Ground Water Board.	Rain water harvesting arrangement for the roof top collection and storm water with proper drainage and settling pits are made in the cement

		plant and the rain water is collected in the mine pit and this is helping to recharge the ground water. ANNEXURE-III
xxii)	All the bag filter dust, raw meal dust, clinker dust & cement dust from pollution control devices shall be recycled & reused in the process and used for cement manufacturing. Sludge from domestic Sources shall be used as manure for green belt development. Waster oil shall be sold to authorized recyclers / reprocesses.	All the bag filter dust, raw material dust, clinker dust & cement dust from pollution control devices are recycled & reused in the process and used for cement manufacturing. Sludge from domestic sources is used as manure for green belt development. Waste oil is stored and disposed to authorized recyclers / reprocesses.
xxiii)	An effort shall be made to use of high calorific hazardous waste in the cement kiln and necessary provision shall be made accordingly.	We are in the process of contacting the chemical Industries for the supply of Hazardous waste materials
xxiv)	Efforts shall be made to use low grade lime, more fly ash & solid waste in the cement manufacturing.	Efforts are being made to use low grade Lime Stone by mixing with high grade Lime Stone to get required composition of Lime Stone in the Raw meal Preparation. Required quantity of Fly Ash is being added in the manufacturing of cement without compromising in the quality of cement.
xxv)	All the fly ash shall be utilized as per Fly Ash Notification, 1999 subsequently amended in 2003. Efforts shall be made to use fly ash maximum in making Pozollona Portland Cement (PPC).	All the fly ash brought from outside is utilized in making Pozollona Portland Cement (PPC) as per the Fly Ash Notification, 1999 subsequently amended in 2003.
xxvi)	Action plan for the mining, management of over burden (removal, storage, disposal etc.), reclamation of the mined out area & mine closure shall be submitted to the Ministry's Regional Office at Bangalore.	There are no overburden and mineral dumps in the mining lease area. Mine workings are under progress. We will submit the mine closure plan to the Ministry's Regional Office.
xxvii)	Top soil, if any, shall be stacked with proper slope at embarked site(s) only with adequate measures and shall be used for reclamation & rehabilitation of mined out areas.	There is no much top soil and the lime stone is out cropped. However whatever top soil was removed was used for greenbelt development activities
xxviii)	The inter burden & other waste generated shall be stacked at embarked dump site(s) only & shall not be kept active for long period. The total height of the dumps shall not exceed 30 m in 3 terraces of 10 m each and the overall slope of the dump shall be maintained to 28 degree. The inter burden dumps shall be scientifically vegetated with suitable native species to prevent erosion & surface run off. Monitoring & Management of rehabilitated areas shall be submitted to MOE & F and its Regional Office, Bangalore on six monthly basis.	There are no overburden and mineral dumps in the mining lease area. Monitoring & Management of rehabilitated areas will be submitted to MOE & F and its Regional Office, Bangalore on six monthly basis. The third party monitored reports are enclosed ANNEXURE-X
xxix)	Suitable rainwater harvesting & conservation measures to augment ground water resources in the area on long term basis shall be planned & implemented in consultation with Regional Director, Central Ground Water Board in cement plant & mining area to augment ground water resources and use for dust suppression & horticulture.	Rain water harvesting arrangement for the roof top collection and storm water with proper drainage and settling pits are made in the cement plant and the rain water is collected in the mine pit and this is helping to recharge the ground water. ANNEXURE-III

xxx)	The project proponent shall take appropriate mitigative measures to prevent pollution on nearby River and other surface water body, if any.	River Krishna is located about 2 km away from the cement plant and from mine about 4 km and there is no water bodies nearby.
xxxii)	Wet drilling blasting method & provision for the control air emission during blasting using dust collectors etc. shall be used.	Wet drilling method is followed. Delay detonators are used.
xxxiii)	Blasting operation shall be done only during the day time and one bench at a time shall be blasted. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders shall be implemented. NOC from the Chief Controller of Explosives shall be obtained.	Blasting operation is done only during the day time and one bench at a time is blasted. Controlled blasting is practiced. NOC from the Chief Controller of Explosives is obtained
xxxiiii)	Bench height, width & slope for individual bench shall be properly assessed and implemented. Adequate measures shall be adopted to stabilize the slope before abandonment. The fencing ground the reservoir shall be provided to prevent accident.	Bench height, width & slope for individual bench is properly maintained as per mines safety Act.
xxxv)	As proposed, green belt shall be developed in at least 54 acres out of total 120 acres in cement and all the mined out area expect used for reservoir. In mining, plantation shall be carried out by planting the native species around mining lease area, OB dumps, around water body, roads etc. in consultation with the local DFO / Agriculture Department. At least 1,500 trees per year shall be planted with a tree density of 2,000 trees per Ha. An action plan shall be submitted in this regard.	Area of the cement plant is 48.12 ha. Out of this 34 % i.e., 16.36 ha have already brought under Greenbelt. In addition to this we have already taken up extensive plantation activity. Green belt development is taken up In the Mines area & Schools, colony and available vacant places. The survival of saplings is good. Requested Forest department to allocate land for plantation. In all three mines also taken up plantation in consultation with local DFO. The plantation work and survival are good. Green Belt Details enclosed. ANNEXURE –VI
xxxvi)	The project proponent shall modify the mine plan of the project at the time of seeking approval for the next mining scheme from the IBM so as to reduce the area for external OB dump by suitably increasing the height of the dumps with proper terracing. It shall be ensured that the overall slope of the dump does not exceed 28 degree.	There is no OB dump.
xxxvii)	The void left unfilled in the mining area shall be converted into water body. The higher benches of excavated void / mining pit shall be terraced & plantation done to stabilize the slopes. The slope of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out along the excavated area.	The mining works are under progress.

xxxvii)	The project Proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna. Action plan for conservation of flora & fauna shall be prepared & implemented in consultation with the State Forest & Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months from the date of issue of this letter.	Obtained NOC from Forest Department. ANNEXURE – V
xxxviii)	A final Mine Closure Plan along with details of Corpus fund shall be submitted to the MoEF 5 years in advance of final mine closure for approval.	The mining works are under progress and will submit a final mine closure plan 5 years in advance for approval.
xxxix)	Mechanized open casting shall be adopted & no change in mining technology & scope of working shall be made without prior approval of the MOE & F.	Mechanized open cast mining method is adopted & there is no change in mining technology & scope of working.
xl)	Consent to operate shall be obtained from TSPCB before starting enhanced production from mine.	Obtained Consent to operate from TSPCB. 1. Mattapalli Lime Stone Mines CFO Order No: TSPCB/CFO/NLG/HO/2017-3264 Dt: 03.03.2017 validity 17.02.2022. 2. Gundlapally Lime stone Mines CFO order No: TSPCB/CFO/NLG/HO/2017-3265 Dt: 03.03.2017 validity 17.02.2022. 3. Sulthanpur Thanda Lime Stone Mines CFO Order No: TSPCB/CFO/NLG/HO/2017-3266 Dt: 03.03.2017 validity 17.02.2022
xli)	Permission & 'Recommendations' of the State Forest Department regarding impact of cement plant & mining activities on the surrounding Reserve Forests Viz. Sulthanpur RF, Tangeda RF, Regulagadda & Gurrambodu RF located with 10 KM radius of the project site shall be obtained & implemented. Further, Conservation plan for the conservation of wild fauna in consultation with the State Forest Department shall be prepared & implemented.	Obtained NOC from Forest Department. ANNEXURE – V
xlii)	Rehabilitation & Resettlement Plan for the project affected population including tribals as per the policy of the State Govt. in consultation with the State Govt. of A.P shall be implemented. Compensation paid in case shall not be less than the norms prescribed under the National Resettlement & Rehabilitation Policy, 2007.	No population is effected in mining area as informed.
xliii)	All the safety norms stipulated by the DGMS shall be implemented.	All the safety norms stipulated by the DGMS are being implemented as informed.
xliv)	Acoustic enclosures shall be provided to control noise wherever necessary. Mine machine shall be provided with silencers. Noise shall also be controlled from cooler fans, compressor house, cement mill & raw mill, cement plant & drilling machines, excavator, blasting at mine site using appropriate noise control measures.	Acoustic enclosures provided to control noise in DG sets. Noise in cooler fans, compressor house, cement mill, raw mill & drilling machines, excavator, persons involved for blasting at mine site and controlled noise levels.

xIv)	A separate budget shall be kept for the occupational health surveillance within and outside the campus in the nearby villages.	A separate budget is kept for the occupational health surveillance within and outside the campus in the nearby villages. Conducting medical camps in the surrounding villages by arranging outside doctors and are providing medicines to the patients. Providing dispensary facility and in case of emergency providing ambulance facility to the nearby villagers. ANNEXURE-VII
xIvi)	Efforts shall be made to control flurosis in the area.	Flurosis free water is supplied to the near-by villages to control flurosis in the area.RO plant is installed in the colony premises for drinking water purpose. ANNEXURE-VII
xIvii)	All the recommendations made in the Charter on Corporate Responsibility for Environmental Protection (CREP) for the Cement Plants shall be implemented.	All the recommendations made in the Charter on Corporate Responsibility for Environmental Protection (CREP) for the Cement Plants are implemented. 1. Replaced the damaged filter bags with new bags at all Air Pollution control Bags Filters. 2. Reduced the emission of Particulate Matter below 30 mg/Nm ³ . 3. We are able to control fugitive emission from all the raw materials, products storage and transfer points by installing Air Pollution Control Devices 4. Tripping of the Kiln ESP is minimized by water spraying in the cooler.
xIviii)	The company shall comply with the commitments made during Public Hearing on 26th May, 2009.	The commitments made during Public Hearing are implemented.
xIix)	This environmental clearance is subject to measures to be taken by the industrial association as identified by the TSPCB vide its letter No.45/PCB/CFE/BO/EC/2007 Dt.15th June, 2007.	Taken the required measures and the environment clearance is obtained.
B	GENERAL CONDITIONS	COMPLIANCE
i)	The project authority shall adhere to the stipulations made by TSPCB & State Government.	The stipulations made by TSPCB are adhered regularly.
ii)	No further expansion or modification of the plant shall be carried out prior approval of this Ministry.	No further expansion or modification of the plant will be carried out prior approval of the ministry.
iii)	The gaseous & particulate matter emissions from various units shall conform to the standards prescribed by TSPCB. At no time, the particulate emissions from the cement plant shall exceed TSPCB limit. Interlocking facility shall be provided in the pollution control equipment so that in the Event of the pollution control equipment not working, the respective unit(s) is shut down automatically.	Installed online continuous ambient air quality monitoring equipments as well as online stack monitoring equipments and as per the data the parameters are well within the limits. Interlocking facility is provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit(s) will be shut down automatically. ANNEXURE – II
iv)	Ambient air quality including ambient noise levels shall not exceed the standards stipulated under EPA or by the State authorities. Monitoring of ambient air quality and stack	Monitoring of ambient air quality and stack emissions are carried out regularly in consultation with TSPCB & report submitted to TSPCB

	emissions shall be carried out regularly in consultation with APPCB & report submitted to TSPCB quarterly & to Ministries Regional Office at Bangalore half-yearly.	monthly & to Ministries Regional Office at Chennai half-yearly. The third party monitored reports are enclosed ANNEXURE-X
v)	The company must harvest the rainwater from the rooftops & storm water drains to recharge the ground water and use the same for the various activities of the project to conserve fresh water.	Rain water harvesting arrangement for the roof top collection and storm water with proper drainage and settling pits are made in the cement plant and the rain water is collected in the mine pit and this is helping to recharge the ground water. ANNEXURE-III
vi)	The company shall undertake eco-development measures including community welfare measures in the project area.	Lot of community welfare measures in the project area are being implemented/provided and it is continuing as below: Organizing medical camps in the surrounding villages, aids to village schools, and dispensary and ambulance facilities for villagers in emergency etc. ANNEXURE – VII
vii)	The overall noise levels in and around the plant area shall be kept well within the standards (85dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) & 70 dBA (Night time).	The overall noise levels in and around the plant area is kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels are monitored at six locations during day and night time and as per the reports the levels are within the limit as per the reports. The third party noise levels are monitored regularly and the reports are enclosed ANNEXURE-X
viii)	Proper housekeeping shall be taken up. Regular annual examination of all the employees shall be carried out from the occupational health point of view & records maintained.	Maintaining good housekeeping. OHS is carried out for all employees and record is maintained.
ix)	A separate environmental cell to carry out various management & monitoring functions shall be set up under the control of Senior Executive.	A separate environmental cell is set up under the control of Senior Executive. The environmental parameters are monitored through an approved external laboratory. ANNEXURE – IX
x)	Occupational health surveillance program shall be done on a regular basis & records maintained. The program must include lung function and sputum analysis tests once in 6 months.	Occupational health surveillance (OHS) program is done on a regular basis & records are maintained. Lung function and sputum analysis tests are conducted once in 6 months. ANNEXURE – VII
xi)	As proposed, Rs.19.40 Crores & Rs.4.70 Crores shall be embarked towards the total capital cost & recurring cost/annum for environmental pollution control measures & shall be suitably used to implement the conditions stipulated by the MOE & F as well as State Government. The funds so provided shall not be diverted for any other purpose.	As proposed has been embarked towards the total capital cost & recurring cost/annum for environmental pollution control measures. The funds earmarked have not been diverted for any other purpose.
xii)	The company shall provide housing for construction labor within the site with the necessary infrastructure & facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The	The company has provided housing for construction labor within the site with the necessary infrastructure & facilities such as fuel for cooking, toilets, safe drinking water, medical

	housing may be in the form of temporary structures to be removed after the completion of the project.	health care etc. The housing was in the form of temporary structures and removed after the completion of the project construction..
xiii)	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zillah Perished/ Municipal Corporation, Urban Local Body & the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearances letter shall also be put on the web site of the company by the proponent.	A copy of the EC was sent to Panchayat.
xiv)	The project proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website & shall update the same periodically. It shall simultaneously be sent the Regional Office of MOEF, the respective Zonal Office of CPCB & the APPCB. The criteria pollutant levels namely; RSPM, PM10, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored & displayed at a convenient location near the main gate of the company in the public domain.	Uploaded the status of compliance of the stipulated EC conditions, including results of monitored data on their website & updating the same periodically. The criteria pollutant levels and critical sectoral parameters are displayed at the main Gate. ANNEXURE – VIII
xv)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both the copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of TSPCB. The Regional Office of this Ministry at Bangalore / CPCB / SPCB shall monitor the stipulated conditions.	Submitting six monthly compliance reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both the copies as well as by e-mail) to the Regional Office of MOEF, the Zonal Office of TSPCB. ANNEXURE – X
xvi)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State PCB as prescribed under the Environmental (Protection) Act, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions & shall also be sent to the Regional Office of the MOEF at Bangalore by e-mail.	Submitting Form V to TSPCB and also uploaded to company's web site.
xvii)	The project proponent shall inform the public that project has been accorded environmental clearance by the Ministry & copies of the clearance letter are available with the APPCB and may also be seen at web site of the MOE & F at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local news papers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office.	News paper advertisement in two local news papers namely The Hindu & Andhra jyothi and submitted the copy of same to MoEF, RO.
xviii)	Project authorities shall inform the Regional Office at Bangalore as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	The date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work was informed to RO as well as the Ministry.



MATTAPALLI LIME STONE MINES GO No: 65GOVERNMENT OF TELANGANA
ABSTRACT

Mines & Minerals - Mining Lease granted for Limestone over an extent of 46.356 Hectares in Sy.No.88 of Compartment No.4 in Mattampally Village & Mandal, Suryapet District (erstwhile Nalgonda District) in favour of M/s. NCL Industries Limited for a period of (30) years - Extension of lease period for (50) years i.e. upto 13.10.2030 - Orders - Issued.

INDUSTRIES AND COMMERCE (M.II) DEPARTMENT

G.O.Ms.No.65.

Dated: 24.08.2017.
Read the following:-

- 1) G.O.Ms.No.280, Ind. & Com.(M.I) Dept., dated:06.06.1980.
- 2) G.O.Ms.No.614, Ind. & Com.(M.II) Dept., dated:22.10.1981.
- 3) G.O.Ms.No.169, Ind. & Com.(M.II) Dept., dated:21.05.1998.
- 4) From the Director of Mines & Geology, Hyderabad File No.3260/R2/2015.

ORDER:

In the reference 1st read above, Government have granted a Mining Lease for Limestone over an extent of 208.9 Hectares in Compt.No.14 of Sulthanpur Village, Huzurnagar Taluq, Nalgonda District for a period of 10 years in favour of Sri K.Ramachandra Raju. The Mining Leases deed was executed by the Assistant Director of Mines & Geology, Nalgonda on 14.10.1980 and lease was in force upto 13.10.1990.

2. In the reference 2nd read above, Government have accorded permission to Sri K. Ramachandra Raju for transfer of the above Mining Lease held by him to M/s.Nagarjuna Cements Limited under Rule 37 of M.C.Rules, 1960 for the un-expired portion of the lease period upto 13.10.1990 on the same terms and conditions laid down in the G.O first read above.

3. In the reference 3rd read above, the Government based on the permission given by EFS&T Department vide G.O.Ms.No.165, dated 26.11.1996 for diversion of 46.356 Hectares of forest land, have granted 1st Renewal of Mining Lease for Limestone over an extent of 46.356 Hectares (114.50 Acres) in Sy.No.88 of Compt.No.14 in Sulthanpur Village, Huzurnagar Taluq, Nalgonda District for a period of 20 years in favour of M/s. NCL Industries Limited. The same lease deed was executed by the Assistant Director of Mines and Geology, Nalgonda on 29.05.1998 and the lease is in force upto 28.05.2018.

4. In the reference 4th read above, the Director of Mines & Geology, Hyderabad has stated that M/s NCL Industries Limited has submitted Environmental Clearance Certificate obtained from the Ministry of Environment and Forest, Govt.of India vide Order No.J-11011/576/2008-IA.II(I), dated 15.12.2009. The lessee Company is also having Consent for Operations (CFO) obtained from TSPCB vide Consent order No.TSPCB/CFO/NLG/HO/2017-3264, Dated.03.03.2017 valid upto 31.03.2022. Further, the Dy.Director of Mines & Geology, Hyderabad vide Lr.No.1076/MDCC/SRPT/2017, Dt:18.05.2017 has issued Mineral Dues Clearance Certificate valid upto 30.09.2017 in respect of (3) Mining Leases including the above Mining Lease held by M/s.NCL Industries Limited. The lessee have complied all the terms and conditions of the lease.

5. The Director of Mines & Geology, Hyderabad has therefore, requested the Government to grant extension of lease period for 50 years from the date of original grant of Mining Lease i.e. from 14.10.1980 to 13.10.2030 for the Mining Lease held by M/s.NCL Industries Limited for Limestone over an extent of 46.356 Hectares in Sy.No.88 of Compartment No.14 in Mattampally Village, Mattampally Mandal, Suryapet District (erstwhile Nalgonda District) used for captive purpose, under sub-section (5) of Section 8A of Mines & Minerals (Development & Regulation) Amendment Act, 2015.

6. Government, after careful examination of the matter, hereby extend the lease period upto 50 years from the date of original grant i.e. from 14.10.1980 to 13.10.2030 for the Mining Lease held by M/s.NCL Industries Limited for Limestone over an extent of 46.356 Hectares in Sy.No.88 of Compartment No.14 in Sulthanpur (Mattampally) Village, Mattampally Mandal, Suryapet District (erstwhile Nalgonda District) as per sub-section (5) of Section 8A of Mines & Minerals (Development & Regulation) Amendment Act, 2015 as the mineral is being utilized for captive purpose, subject to satisfaction of Mines and Minerals (Development & Regulation) Act, 1957 read with Mines and Minerals (Development & Regulation) Amendment Act, 2015 and M.C.Rules, 1960 and Minerals (other than Atomic and Hydrocarbons Energy Minerals) Concession Rules, 2016.

(P.T.O)

GUNDLAPALLY LIME STONE MINES GO No: 64

GOVERNMENT OF TELANGANA
ABSTRACT

Mines & Minerals - Mining Lease granted for Limestone over an extent of Acres 322.06 Gts. in Sy.No.63, 170(P) of Gundlapally Village, Mattampally Mandal, Suryapet District (erstwhile Nalgonda District) in favour of M/s.NCL Industries Limited for a period of (20) years - Extension of lease period for (50) years i.e. upto 21.10.2040 - Orders - Issued.

INDUSTRIES AND COMMERCER (M.II) DEPARTMENT

G.O.Ms.No.64

Dated:24.08.2017.

Read the following:-

- 1) G.O.Ms.No.423, Ind. & Com.(M.IV) Dept., dated:10.10.1990.
- 2) G.O.Ms.No.124, Ind. & Com.(M.I) Dept., dated:28.03.1991.
- 3) G.O.Ms.No.33, Ind. & Com.(M.II) Dept., dated:02.12.2014.
- 4) From the Director of Mines & Geology, Hyderabad file No.2222/R2-2/2017.

ORDER:

In the reference 1st read above, Government have granted a Mining Lease for Limestone over an extent of Acres 322.06 Gts.in Sy.No.63, 170(P) of Gundlapally Village, Mattampally Mandal, Nalgonda District for a period of 20 years in favour of Sri K.Ravi. The Mining Leases deed was executed by the Assistant Director of Mines & Geology, Nalgonda on 22.10.1990 and lease was in force upto 21.10.2010.

2. In the reference 2nd read above, Government have accorded permission under Rule 37 of M.C.Rules, 1960 to Sri K. Ravi for transfer of the above Mining Lease held by him to M/s. NCL Industries Limited for the un-expired period of lease i.e. upto 21.10.2010 on the same terms and conditions as ordered in the G.O first read above.

3. In the reference 3rd read above, Government has granted 1st Renewal of Mining Lease for Limestone over an extent of Acres 322.06 Gts. in Sy.No.63, 170(P) of Gundlapally Village, Mattampally Mandal, Nalgonda District in favour of M/s. NCL Industries Limited for a further period of (20) years w.e.f.22.10.2010. The same lease was executed by the Assistant Director of Mines and Geology, Nalgonda on 17.03.2015 and the lease is in force upto 21.10.2030.

4. In the reference 4th read above, the Director of Mines & Geology, Hyderabad has stated that M/s.NCL Industries Limited has submitted Environmental Clearance Certificate obtained from the Ministry of Environment and Forests, Govt.of India vide Order No.J-11011/576/2008-IA.II(I), dated 15.12.2009. The Company has also submitted Consent for Operations (CFO) obtained from TSPCB vide Consent order No.TSPCB/CFO/NLG/HO/2017-3265, Dated.03.03.2017 valid upto 31.03.2022. Further, the Dy.Director of Mines & Geology, Hyderabad vide Lr.No.1076/MDCC/SRPT/2017, Dt:18.05.2017 has issued Mineral Dues Clearance Certificate valid upto 30.09.2017 in respect of (3) Mining Leases including the above Mining Lease held by M/s. NCL Industries Limited. The lessee have complied with all the terms and conditions of the lease.

5. The Director of Mines & Geology, Hyderabad has therefore, requested the Government to grant extension of lease period for 50 years from the date of original grant i.e. from 22.10.1990 to 21.10.2040 for the Mining Lease held by M/s. NCL Industries Limited for Limestone over an extent of Acres 322.06 Gts. in Sy.No.63, 170(P) of Gundlapally Village, Mattampally Mandal, Suryapet District used for captive purpose, under sub-section (5) of Section 8A of Mines & Minerals (Development & Regulation) Amendment Act, 2015 and latest amendments there on.

6. Government, after careful examination of the matter, hereby extend the lease period upto 50 years from the date of original grant of Mining lease i.e. from 22.10.1990 to 21.10.2040 in respect of the Mining Lease held by M/s.NCL Industries Limited for Limestone over an extent of Acres 322.06 Gts. in Sy.No.63, 170(P) of Gundlapally Village, Mattampally Mandal, Suryapet District (erstwhile Nalgonda District) under sub-section (5) of Section 8A of Mines & Minerals (Development & Regulation) Amendment Act, 2015 as the mineral is being utilized for captive purpose, subject to satisfaction of Mines and Minerals (Development & Regulation) Act, 1957 read with Mines and Minerals (Development & Regulation) Amendment Act, 2015 and M.C.Rules, 1960 and Minerals (other than Atomic and Hydrocarbons Energy Minerals) Concession Rules, 2016.

Sulthanpur Thanda Lime stone Mines GO No: 63

GOVERNMENT OF TELANGANA

ABSTRACT

Mines & Minerals - Mining Lease granted for Limestone over an extent of Acres 105.32 Gts.in Sy.No.540 of Pedaveedu Village, Mattampally Mandal, Suryapet District (erstwhile Nalgonda District) in favour of M/s. NCL Industries Limited for a period of (20) years - Extension of lease period for (50) years i.e. upto 28.10.2046 - Orders - Issued.

INDUSTRIES AND COMMERCIAL (M.II) DEPARTMENT

G.O.Ms.No.63

Dated: 23.08.2017.

Read the following:-

- 1) G.O.Ms.No.126, Ind. & Com.(M.I) Dept., dated:22.06.1996.
- 2) G.O.Ms.No.265, Ind. & Com.(M.I) Dept., dated:31.07.1998.
- 3) From the Director of Mines & Geology, Hyderabad file No.3259/R2-2/2015.

ORDER:

In the reference 1st read above, Government have granted a Mining Lease for Limestone over an extent of Acres 105.32 Gts. in Sy.No.540 of Pedaveedu Village, Huzurunagar Talqu, Nalgonda District for a period of 20 years in favour of Sri K.Ramachandra Raju. The Mining Leases deed was executed by the Assistant Director of Mines & Geology, Nalgonda on 29.10.1996 and lease was in force upto 28.10.2016.

2. In the reference 2nd read above, Government have accorded permission under Rule 37 of M.C.Rules, 1960 to Sri K. Ramachandra Raju for transfer of the above Mining Lease held by him to M/s.NCL Industries Limited for the un-expired period of lease i.e. upto 28.10.2016 on the same terms and conditions as ordered in the G.O first read above.

3. In the reference 3rd read above, the Director of Mines & Geology, Hyderabad has stated that M/s NCL Industries Limited has submitted Environmental Clearance Certificate obtained from the Ministry of Environment and Forests, Govt.of India vide Order No.J-11011/576/2008-IA.II(I), dated 15.12.2009. The Company has also submitted Consent for Operations (CFO) obtained from TSPCB vide Consent order No.TSPCB/CFO/NLG/HO/2017-3266, Dated.03.03.2017 valid upto 31.03.2022. Further, the Dy.Director of Mines & Geology, Hyderabad vide Lr.No.1076/MDCC/SRPT/2017, Dt:18.05.2017 has issued Mineral Dues Clearance Certificate valid upto 30.09.2017 in respect of (3) Mining Leases including the above Mining Lease held by M/s. NCL Industries Limited. The lessee have complied all the terms and conditions of the lease.

4. The Director of Mines & Geology, Hyderabad has therefore, requested the Government to grant extension of lease period for 50 years from the date of original grant i.e. from 29.10.1996 to 28.10.2046 for the Mining Lease held by M/s. NCL Industries Limited for Limestone over an extent of Acres 105.32 Gts. in Sy.No.540 of Pedaveedu Village, Mattampally Mandal, Suryapet District used for captive purpose, under sub-section (5) of Section 8A of Mines & Minerals (Development & Regulation) Amendment Act, 2015 and latest amendments there on.

5. Government, after careful examination of the matter, hereby extend the lease period upto 50 years from the date of original grant of Mining lease i.e. from 29.10.1996 to 28.10.2046 for the Mining Lease held by M/s.NCL Industries Limited for Limestone over an extent of Acres 105.32 Gts. in Sy.No.540 of Pedaveedu Village, Mattampally Mandal, Suryapet District (erstwhile Nalgonda District) as per sub-section (5) of Section 8A of Mines & Minerals (Development & Regulation) Amendment Act, 2015 as the mineral is being utilized for captive purpose, subject to satisfaction of Mines and Minerals (Development & Regulation) Act, 1957 read with Mines and Minerals (Development & Regulation) Amendment Act, 2015 and M.C.Rules, 1960 and Minerals (other than Atomic and Hydrocarbons Energy Minerals) Concession Rules, 2016.

ANNEXURE II

NCL INDUSTRIES LIMITED: SIMHAPURI

On-line Continuous Stack Monitoring System (OCSEMS) and Continuous Ambient Air Quality Monitoring Systems (CAAQMS) Stations

S.No.	Stack attached	Type of Monitoring System (Emission / Effluent / CAAQMS)	Stack ID
1	Line-1 Kiln	Emission	NCL Industries Limited-Stack_1_Kiln_1
2	Line-1 Cooler	Emission	NCL Industries Limited-Stack_4_Cooler_1
3	Line-1 Cement Mills	Emission	NCL Industries Limited-Stack_9_Cement Mill_1
4	Line-1 Coal Mill	Emission	NCL Industries Limited-Stack_7_CoalMill_1
5	Line-2 Kiln	Emission	NCL Industries Limited-Stack_2_Kiln_2
6	Line-2 Cooler	Emission	NCL Industries Limited-Stack_5_Cooler_2
7	Line-2 Coal Mill	Emission	NCL Industries Limited-Stack_8_CoalMill_2
8	Line-2 Cement Mill	Emission	NCL Industries Limited-Stack_10_CementMill_2
9	Line-3 Kiln	Emission	NCL Industries Limited-Stack_3_Kiln_3
10	Line-3 Cooler	Emission	NCL Industries Limited-Stack_6_Cooler_3
11	Line-3 Cement Mill	Emission	NCL Industries Limited-Stack_11_Cement Mill_3
12	Colony	CAAQMS	NCL Industries Limited-CAAQMS_01_Colony
13	Cement Plant	CAAQMS	NCL Industries Limited-CAAQMS_02_CementPlant

TSPCB & CPCB OCEMS & AAQMS UPLOADING SITE

TSPCB - Ascent Intellimation Pvt. x

183.82.41.227:8080/enviroconnect/servlet/com.aipl.pls.web.admin.AdminServlet

EnviroConnect Environmental Monitoring

TELANGANA STATE POLLUTION CONTROL BOARD

System

Welcome NCL Industries [Logout] [Change Password]

Home | Site Admin | Support | Help

NCL Industries Ltd., Cement Industry, NCL Stack-

Current Data

Sr. No	Parameter	Instantaneous as of	Instantaneous Value	Average as of	Average	Flag	Standard Limit
Line-1 Kiln							
1	SPM	19-10-2018 16:13:00	0.13 mg/Nm3	19-10-2018 11:07:00	0.13		0 - 30 mg/Nm3
2	SO2	19-10-2018 16:13:00	0 mg/Nm3	19-10-2018 11:07:00	0.00		0 - 100 mg/Nm3
3	NOx	19-10-2018 16:13:00	0 mg/Nm3	19-10-2018 11:07:00	0.00		0 - 800 mg/Nm3
Line-1 Cooler							
4	SPM	19-10-2018 16:13:00	0 mg/Nm3	19-10-2018 11:07:00	0.00		0 - 30 mg/Nm3
Line-1 Cement Mills							
5	SPM	19-10-2018 16:13:00	9.56 mg/Nm3	19-10-2018 11:07:00	8.27		0 - 30 mg/Nm3
Line-2 Kiln							
6	SPM	19-10-2018 16:13:00	16.54 mg/Nm3	19-10-2018 11:15:00	16.13		0 - 30 mg/Nm3
7	SO2	19-10-2018 16:13:00	27.68 mg/Nm3	19-10-2018 11:15:00	13.75		0 - 100 mg/Nm3
8	NOx	19-10-2018 16:13:00	479.79 mg/Nm3	19-10-2018 11:15:00	493.11		0 - 800 mg/Nm3
Line-2 Cooler							
9	SPM	19-10-2018 16:13:00	17.57 mg/Nm3	19-10-2018 11:15:00	17.59		0 - 30 mg/Nm3
Line-2 Coal Mill							
10	SPM	19-10-2018 16:13:00	17.96 mg/Nm3	19-10-2018 11:15:00	17.97		0 - 30 mg/Nm3
Line-2 Cement Mills							
11	SPM	19-10-2018 16:13:00	11.20 mg/Nm3	19-10-2018 11:15:00	22.14		0 - 30 mg/Nm3
Line-1 Coal Mill							
12	SPM	19-10-2018 16:13:00	10.88 mg/Nm3	16-10-2018 15:14:00	0.00		0 - 30 mg/Nm3
Line-3 Kiln							
13	SPM	19-10-2018 16:13:00	23.40 mg/Nm3	16-10-2018 15:22:00	0.00		0 - 30 mg/Nm3
14	SOx	19-10-2018 16:13:00	3.88 mg/Nm3	16-10-2018 15:22:00	0.00		0 - 100 mg/Nm3
15	NOx	19-10-2018 16:13:00	488.72 mg/Nm3	16-10-2018 15:22:00	0.00		0 - 800 mg/Nm3

Copyright © 2017 Ascent Intellimation Pvt. Ltd., Pune All Rights Reserved.

About Contact Us

16:17
19-10-2018

TSPCB - Ascent Intellimation Pvt. x

nksquare.realtimerepollution.in/IndustryDashBoard

Nk Solutions

Realtime Environmental Data Monitoring

NCL INDUSTRIES LIMITED (CEMENT)

NCL Industries Limited-Stack_2_Kiln-2

PM std:30.00 19 Oct 2018 16:17	16.54 mg/Nm3	SO2 std:100.00 19 Oct 2018 16:17	27.41 mg/Nm3	NOx std:800.00 19 Oct 2018 16:17	460.62 mg/Nm3
--------------------------------------	--------------	--	--------------	--	---------------

NCL Industries Limited-Stack_3_Kiln-3

PM std:30.00 19 Oct 2018 16:17	23.47 mg/Nm3	SO2 std:100.00 19 Oct 2018 16:17	5.24 mg/Nm3	NOx std:800.00 19 Oct 2018 16:17	490.56 mg/Nm3
--------------------------------------	--------------	--	-------------	--	---------------

NCL Industries Limited-Stack_4_Cooler-1

GRAPH

Export PNG


Select All

Powered By NKSquare Solutions


Data available at this portal is as per CPCB prescribed procedure published at cpcb.nic.in

16:20
19-10-2018

CAAQMS IN COLONY



Line 3 Kiln Stack SO_x & NO_x Analyzer



LINE-3 COOLER
STACK MONITOR

ANNEXURE – II

LIST OF Pollution Control Equipments & BAG FILTERS Details

S.No	Group	Application	Eqpt No.	Tag	Capacity m3/hr	No of Bags	Bag Size in Mtrs	Rated KW
LINE 1								
1	Kiln	Preheater Vent - Bucket Elevator TOP	TM	BF	10000	54	0.146 x 3.05	15
2		Kiln Feed Venting BF2 - TM1	TM1	BF2	10000	60	0.147X3.616	15
3		Preheater Bucket Elevator Bottom	TM1	BF1	6000	48	0.125X2.200	5.5
4	PJ B H	Pulse Jet Bag House	131	BH1	245000	1280	0.149X8.095	560
5	Cooler	ESP			255000	NA	NA	225
6	Coal Mill	Mill Bag Filter (Vent)	Big	BF1	25020	210	0.147X3.050	110
7		Hopper Bag Filter	Small	BF2	10000	90	0.147X3.050	
8		Coal Pumping	New	BF3	8000	60	0.149 x 3.660	15
9	Raw Mill 3	Vent Bag Filter		BF1	24240	90	0.146 x 3.050	55
10		Classifier Bag Filter		BF2	8180	60	0.146 x 3.05	15
11		Silo Top	TM1	BF	10000	60	0.146 x 3.05	15
12	Cement Mill	Mill Bag Filter			45000	540	0.146 x 3.05	160
13	Packing Plant	Packer			15000	125	0.125 x 2.8	22
LINE 2								
14	Line-2 Crusher	Vent bag filter	211	BF 1	35000	192	0.149 X 3.660	75
15		Discharge at 211BC5	211	BF2	20000	108	0.149 X 3.66	5.5
16		Discharge at 211BC4	211	BF3	6000	49	0.125X2.5	5.5
17	VRM	additive hoppers top	351	BF1	20000	120	0.150 X 3.6M	22
18		B/F at 351BC1	351	BF2	6000	49	0.150 X 3.6M	5.5
19		Recirculation bucket elevator	361	BF1	27500	168	0.150 X 3.6	37

20	VRM	Silo bucket elevator	371	BF1	16500	100	0.150 X 3.6	30
21	RABH	VRM Bag House	431	BH1	640000	1680	0.292 X 10.8	500
22	B.Silo & KILN FEED	Blending Silo TOP	412	BF1	11000	64	0.150 X 3.6	22
23		Blending Silo	422	BF1	5500	36	0.150 X 3.6	15
24	Pyro process	Pre heater top	422	BF2	8800	36	0.150 X 3.6	15
25		Clinker Silo Top	491	BF1	8000	36	0.150 X 3.6	11
26	Cooler	ESP Vent Fan	471	FN8	NA	NA	NA	200
27	Coal Mill	BH Top	482	BF2	8800	54	0.150 X 3.6	15
28		Vent B F screw conveyer	482	BF3	16500	54	0.150 X 3.6	15
29		Mill Bag House	462	BH1	145200	1320	0.150 X 3.6	550
30	C & CT	Clinker Extraction BC1, 2	511	BF1	3300	54	0.150 X 3.6	11
31	Cement Mill	Transfer tower BC3 & BC4	511	BF2	3300	54	0.150 X 3.6	5.5
32	Cement Mill	Dedusting Bag filter fan at hopper top	531	BF1	10000	36	0.150 X 3.6	11
33		Clinker Hopper Discharge top	531	BF2	5500	36	0.150 X 3.6	11
34		Venting feeder	561	BF3	3300	54	0.150 X 3.6	55
35		Separator vent	561	BF2	21300	168	0.150 X 3.6	250
36		Cement mill vent Bag Filter	561	BF1	45483	448	0.149 x 4.5	75
37		Dedusting Bag Filter Fan	561	BF4	11000	60	0.150 X 3.5	15
38		Fly ash Silo Top	591	BF5	1000	36	0.150 X 3.6	15
39		Fly ash Silo Discharge	591	BF6	5500	36	0.150 X 3.6	11
40	Packing Plant	Cement Silo Top	611	BF1	6600	36	0.150 X 3.6	11
41		Big Bag Filter	611	BF2	27500	168	0.150 X 3.6	37
42		Packer vent Bag Filter	611	BF3	16500	100	0.150 X 3.6	22
Line 3								
43	Kiln feed	Vent bag filter for control bin feed B/E hood	411	BF1	10000	76	0.149 x 3.665	15
44		Vent bag filter for Kiln feed	411	BF2	14500	110	0.149 x 3.665	22

45	Kiln feed	Vent bag filter for Kiln feed B/E hood,431 AS3	431	BF1	4000	30	0.149 x 3.665	7.5
46	Cooler	Vent bag filter for cooler discharge DPC	471	BF1	3500	30	0.149 x 3.665	5.5
47	Clinker transport	Vent bag filter for 491	491	BF1	18600	144	0.149 x 3.665	30
48		Vent bag filter for 491	491	BF2	17600	140	0.149 x 3.665	22
49		Vent bag filter for 491	491	BF3	7300	56	0.149 x 3.665	11
50		Vent bf for 491 DP4	491	BF4	7300	56	0.149 x 3.665	11
51		Vent bag filter for 491 BC1 discharge, 491 BC2	491	BF5	10500	80	0.149 x 3.665	15
52		Vent bag filter for 511 BC3 discharge hood,	491	BF6	6300	48	0.149 x 3.665	11
53		Vent bag filter for 511 BC3A discharge hood,	491	BF7	6300	48	0.149 x 3.665	11
54		Vent bag filter for 511 BC3B discharge hood,	491	BF8	10500	80	0.149 x 3.665	15
55	PJBF	Vent bag filter for PJBH dust extraction air slides and Hot meal bin, SFM	432	BF1	13400	100	0.149 x 3.665	22
56	Coal Dosing	Vent bag filter for fine coal bin L91 B11	L91	BF1	3000	24	0.149 x 3.665	5.5
57		Vent bag filter for Fine coal bin L91 B12	L91	BF2	3000	24	0.149 x 3.665	5.5
58	Cement grinding	Vent bag filter for Cement mill weigh feeders	531	BF1	9600	80	0.149 x 3.665	15
59		Vent bag filter for 531 BC2	531	BF2	5700	48	0.149 x 3.665	11
60		Vent bag filter for Cement mill hoppers	531	BF1A	17600	140	0.149 x 3.665	22
61		Vent bag filter for 521 feed	521	BF1	3000	24	0.149 x 3.665	5.5
62		Vent bag filter for 521 BC1 disc. hood & 521 BC2 feed board	521	BF2	6000	48	0.149 x 3.665	11
63		Vent bag filter for cement mill re-circulation	571	BF1	8250	64	0.149 x 3.665	15
64		Vent bag filter for 591 AS	591	BF1	5000	40	0.149 x 3.665	7.5

65	Cement grinding	Cement mill vent BF	561	BF1	58000	448	0.149 x 4.565	110
66		Separator vent bag filter	581	BF1	27000	210	0.149 x 4.565	410
67	Cement silo	Vent bf for silo top	611	BF1	7500	64	0.149 x 3.665	11
68		Vent bag filter for collecting bin	611	BF2	3500	30	0.149 x 3.665	5.5
69	Packing Plant	Vent bag filter for bucket elevator & air slide	611	BF3	5000	40	0.149 x 3.665	5.5
70		Roto-Packer vent bf	641	BF1	34000	266	0.149 x 3.665	15
71		De-dusting bag filter	641	BF2	16000	140	0.149 x 3.665	45
72	Coal conveying	Vent bag filter for bin	482	BF2	5000	40	0.149 x 3.665	11
73		Vent bag filter	L91	BF3	8000	64	0.149 x 3.665	11
74	PJBH	Pulse Jet Bag filter for pre heater flue gases	432	BH1	490000	2560	0.160 x 8.0	800
75	Cooler	Cooler de-dusting	471	EP1	380000	NA	NA	200

BAG FILTERS ARE INSTALLED AT TRANSFER TOWERS



ANNEXURE-III

ALL RAW MATERIALS ARE TRANSPORTED IN CLOSED CONTAINERS/ FULLY ENCLOSED



ROAD WETTING WITH WATER TANKERS AT MINES



REGULR CLEARING OF ROAD WITH ROADS SWEEPING MACHINE



ASPHALTING / CONCRETING OF ROADS & CRITICAL AREA



WATER PERMISSION

GOVERNMENT OF ANDHRA PRADESH
IRRIGATION & CAD DEPARTMENT

From:
Sri K. Ravi, M.Tech.,
Executive Engineer,
Krishna Central Division,
VIJAYAWADA.

To
The Collector &
District Magistrate,
Nalgonda District,
NALGONDA.

AGM (a/c)

Letter No.AB/A4/ 15 RW Dated 8 -1-2015.

Sir,

Sub:- I & CAD Department - Industrial Water Supply SLSWCC - Permission to draw a Quantum of 0.055 TMC of water per year from surplus water from River Krishna to M/S NCL Industries (Captive Power Plant) Sy. No. 1 to 6 for the Cement Industry, Simhapuri Village, Mattampalli Mandal, Nalgonda District - Permission accorded - Revenue Concurrence - Requested - Regarding.

- Ref:-1. Engineer-in-Chief (I), Hyderabad Endt. No. DCE.IV/ OTM.5/ S2/ 7311/2011, Dated 15-12-2011.
2. G.O.M.S No. 97 I & CAD (PW Reforms) Department, Dt. 22-10-2013.
3. Engineer-in-Chief (I), Hyderabad Endt. No. DCE.IV/ OTM.5/ S2/ 7311/2011, Dated 25-10-2013.
4. Superintending Engineer, Irrigation Circle, Vijayawada Memo. No. DB/JTO.7/551^{KC}, Dated 12-6-2014.

In the reference 1st cited, that the Engineer in Chief, (I), Hyderabad has submitted proposals to Government for according permission to draw water by M/S NCL Industries Limited, Simhapuri (V), Mattampalli (M), Nalgonda District from the surplus water of Krishna River to an extent of 4275 KL/Day or 0.055 TMC of water per Year under concurrence.

In the reference 2nd cited, Government has also accorded permission in G.O.Ms. No. 97 I & CAD (PW Reforms) Department, Dated 22-10-2013 to draw a Quantum of 4275 KL/ Day or 0.055 TMC per annum of Water from Krishna River to M/S NCL Industries Limited, Simhapuri Village, Mattampalli Mandal, Nalgonda District for a period of 10 Years with usual terms and conditions with regard to Pollution, Royalty Charges.

In the reference 3rd cited, Engineer-in-Chief, (I), Hyderabad have requested to obtain the necessary Revenue concurrence from District Collector, Nalgonda and Pollution Control Board Clearance and also instructed to submit the draft agreement proposals along with the permission issued by the District Collector, Nalgonda as well as Pollution authorities.

//2//

Therefore, I request the District Collector, Nalgonda to accord necessary Revenue Concurrence for drawal of 4275 KL/Day or 0.005 TMC of water from Krishna River by M/S NCL Industries Limited, Simhapuri Village, Mattampalli Mandal, Nalgonda District for a period of 10 Years at the earliest for onward submission of the draft agreement proposals to higher authorities.

Encl:- Copy of reference 1st to 3rd.

Yours faithfully,
Sd/- K. Ravi,
Executive Engineer,
K.C. Division :: Vijayawada.

Copy submitted to Superintending Engineer, Irrigation Circle, Vijayawada for favour of information and taking further necessary action.

Copy to Deputy Executive Engineer, Head Quarters Sub-Division, Vijayawada for information and necessary action. He is requested to persue the matter from the District Collector, Nalgonda.

✓ Copy to M/S NCL Industries Limited, Simhapuri Village, Mattampalli Mandal, Nalgonda District for information. The Industries is requested to obtain the necessary permission of Pollution Control Board Clearance Certificate and submit the same to this office for taking further necessary action.

Sd/- K. Ravi,
Executive Engineer,
K.C. Division :: Vijayawada.

//t.c.f.//
Dvnl. Accounts Officer(W)
K.C. Division :: Vijayawada

8/1/15

PERMISSION LETTER FROM FOREST DEPARTMENT

GOVERNMENT OF TELANGANA
FOREST DEPARTMENT

From:
Sri. G. Mukund Reddy, Dy.C.F.,
District Forest Officer,
Suryapet.

To:
The Managing Director,
M/s NCL Industries Ltd.,
Hyderabad.

RC.No.75/2017/S, Dt:27.11.2018

Sir,

Sub : TSFD - TSPCB - RO - NLG - Environmental Public Hearing (EPH) - M/s NCL Industries Ltd. has proposed for enhancement of Sulthanpur Thanda Lime stone Mine capacity from 0.05 MTPA to 1.0 MTPA located at Sy.No.540 (P), Pedaveedu (V), Mattampally (M), Suryapet District - Status report - Reg.

Ref: 1. NCL Industries Ltd., Ref.No.NCL/Forests Dept, Dt.01.09.2018.
2. NCL Industries Ltd., Ref.No.NCL/Forests Dept, Dt.26.11.2018.

With reference to the subject and reference cited above, the M/s NCL Industries Ltd., had requested for Status report for the proposal of enhancement of Sulthanpur Thanda Lime Stone Mine production capacity from 0.05 MTPA to 1.0 MTPA located in Sy.No.540 (P), of Pedaveedu (V), Mattampalli (M), Suryapet District in mine lease area of 42.83 Ha.

The undersigned had inspected the mining area together with Forest Range Officer, Huzurnagar 15th September, 2018. The plan submitted by M/s NCL Industries Ltd., showing the Mining Lease area (With GPS Readings) for Limestone Deposit in Sy.No.540 over an extent of Ac. 105.32 gts (42.83 Ha) in Pedaveedu Village, Mattampalli Mandal, Suryapet District (Erstwhile Nalgonda District), Duly approved by Tahasildar, Mattampally Mandal and Asst. Director of Mines & Geology, Miryalaguda has also been referred.

It is confirmed that:

1. The said location does not fall in the Forest Area, but the area is adjacent to the Reserve Forest about 170 meters and it should comply recent guidelines/ Circular from the MoEF.
2. There are no dispute issues with Forest Department but the wasta material mainly the panel cut portions is being dumped along road side even in Reserve Forest areas which has to be removed and in future waste disposal to be in designated areas as per mine plan.
3. The area is completely preexisting mining area of NCL Industries Ltd., from 1996. Hence the green cover other conditions that are in mining plan to be properly implemented.
4. No perennial nallah or streams are seen within the area.
5. There are no endangered species of flora existing in the area and it has neither ecological nor economic importance and normal species of brushes and bushes are only seen.
6. No sanctuary and national parks does not exist within the above area.

Hence, it is inform that, there are no issues for enhancement of Sulthanpur Thanda Lime Stone Mine production capacity from 0.05 MTPA to 1.0 MTPA located in Sy.No.540 (P), of Pedaveedu (V), Mattampalli (M), Suryapet District in mine lease area of 42.83 Ha.


District Forest Officer,
Suryapet.


Greenbelt Details

S.No	Description	Area Hectares	Area Acres	% Green Belt
1	Plant Built up Area	12	29.65	
2	Colony	8	19.77	
3	Green Belt	16.36	40.43	34%
4	Roads	11.76	29.05	
	Total Plant & Colony Area	48.12	118.90	

Status of Green Belt in Detailed

S.No	Location	Area (Acres)
1	Back Side of NCL Guest House	2.20
2	At NCL High School	5.24
3	Around the Factory	13.22
4	In side Factory Boundary	12.53
5	New Colony	7.24
	Total Area of Green Belt	40.43

GREENBELT DEVELOPMENT IN PLANT & COLONY & MINES





Green Belt





PRIMARY HEALTH CENTER





WATER TREATMENT PLANT




RO REJECT WATER STORING & USING FOR PLANTATION & ROAD WETTING




ANNEXURE -VIII

The criteria pollutant levels and critical parameters are displayed at the main Gate.



ORGANISATION CHART FOR EMC



ANNEXURE-X
NCL INDUSTRIES LTD
CEMENT DIVISION , MATTAPPALLY
AMBIENT AIR QUALITY MONITORING DATA - MINES BUFFER ZONE

OCTOBER - MARCH 2019

Date	1. Sultanpur Thanda							2. Mattappally							3. Pedaveedu							4. Ramachandrapuram Thanda						
	Flow Rate Avg m3/min	PM 10 µg/m	PM 2.5 µg/m3	So2 µg/m3	Nox µg/m3	Min µg/m3	Co PPM	Flow Rate Avg m3/min	PM 10 µg/m3	PM 2.5 µg/m3	So2 µg/m3	Nox µg/m3	Min µg/m3	Co PPM	Flow Rate Avg m3/min	PM 10 µg/m3	PM 2.5 µg/m3	So2 µg/m3	Nox µg/m3	Min µg/m3	Co PPM	Flow Rate Avg m3/min	PM 10 µg/m3	PM 2.5 µg/m3	So2 µg/m3	Nox µg/m3	Min µg/m3	Co PPM
12.10.2018	1.04	65	24	9	25	BDL	<1	1.08	60	22	11	17	BDL	<1	1.1	47	15	13	22	BDL	<1	1.06	52	19	7	15	BDL	<1
27.10.2018	1.02	49	15	8	22	BDL	<1	1.07	68	24	11	17	BDL	<1	1.11	60	22	6	20	BDL	<1	1.04	57	20	12	19	BDL	<1
02.11.2018	1.08	67	25	14	23	BDL	<1	1.12	63	23	8	19	BDL	<1	1.03	50	17	10	24	BDL	<1	1.09	58	20	13	17	BDL	<1
17.11.2018	1.06	51	16	13	24	BDL	<1	1.09	70	27	7	18	BDL	<1	1.13	65	24	10	23	BDL	<1	1.08	59	22	6	17	BDL	<1
11.12.2018	1.12	64	23	12	21	BDL	<1	1.03	54	19	6	16	BDL	<1	1.14	46	15	9	22	BDL	<1	1.05	60	18	11	15	BDL	<1
25.12.2018	1.01	54	17	8	18	BDL	<1	1.13	68	24	12	21	BDL	<1	1.07	61	21	7	16	BDL	<1	1.05	56	20	9	19	BDL	<1
08.01.2019	1.1	60	24	9	20	BDL	<1	1.07	49	16	8	19	BDL	<1	1.02	57	21	7	17	BDL	<1	1.08	55	19	12	22	BDL	<1
26.01.2019	1.05	59	15	6	15	BDL	<1	1.09	64	21	11	20	BDL	<1	1.11	68	25	9	18	BDL	<1	1.02	58	18	7	17	BDL	<1
06.02.2019	1.06	63	20	8	18	BDL	<1	1.1	51	17	12	21	BDL	<1	1.13	59	19	10	15	BDL	<1	1.05	50	15	8	21	BDL	<1
23.02.2019	1.02	64	19	10	17	BDL	<1	1.05	68	22	8	22	BDL	<1	1.13	55	15	11	16	BDL	<1	1.07	59	17	13	21	BDL	<1
07.03.2019	1.05	65	22	13	16	BDL	<1	1.12	69	24	7	24	BDL	<1	1.07	52	16	12	18	BDL	<1	1.08	58	20	9	22	BDL	<1
21.03.2019	1.04	69	23	9	23	BDL	<1	1.08	71	26	15	18	BDL	<1	1.03	58	18	6	24	BDL	<1	1.09	63	20	11	17	BDL	<1



ANNEXURE-X
NCL INDUSTRIES LTD
CEMENT DIVISION- MATTAPALLY

NOISE LEVEL DATA Oct to March 2019						
Location	GUNDLAPALLI MINE		SULTHANPUR MINES		MATTAMPALLI MINE	
Date	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time	Levels in dB(A) Leq Day Time	Levels in dB(A) Leq Night Time
26.10.2018	67	62	62	57	69	65
21.11.2018	63	58	60	55	65	60
29.12.2018	65	60	64	59	67	62
25.01.2019	62	57	66	61	68	63
23.02.2019	64	59	68	62	70	66
22.03.2019	67	61	65	60	72	67
6 Months Avg	64	59	65	59	68	64



ANNEXURE -X
NCL INDUSTRIES LTD
CEMENT DIVISION - MATTAPALLY
GROUND WATER LEVELS MONITORING REPORT
OCTOBER - MARCH 2019

Date of Survey	Mattapalli Village	Sultanpur Thanda	Pedaveedu Village	Ramachandrapuram Village
27.10.2018	There are no open wells. Krishna priver water is being used	There are no open wells. Krishna priver water is being used	Water level is 5.90 mtrs from the ground surface in the open well	Water level is 6.40 mtrs from the ground surface in the open well
20.11.2018	There are no open wells. Krishna priver water is being used	There are no open wells. Krishna priver water is being used	Water level is 4.80 mtrs from the ground surface in the open well	Water level is 5.30 mtrs from the ground surface in the open well
28.12.2018	There are no open wells. Krishna priver water is being used	There are no open wells. Krishna priver water is being used	Water level is 4.50 mtrs from the ground surface in the open well	Water level is 5.10 mtrs from the ground surface in the open well
25.01.2019	There are no open wells. Krishna priver water is being used	There are no open wells. Krishna priver water is being used	Water level is 4.10 mtrs from the ground surface in the open well	Water level is 4.90 mtrs from the ground surface in the open well
22.02.2019	There are no open wells. Krishna priver water is being used	There are no open wells. Krishna priver water is being used	Water level is 4.30 mtrs from the ground surface in the open well	Water level is 5.20 mtrs from the ground surface in the open well
22.03.2019	There are no open wells. Krishna priver water is being used	There are no open wells. Krishna priver water is being used	Water level is 5.30 mtrs from the ground surface in the open well	Water level is 5.80 mtrs from the ground surface in the open well



